

TPCODL

TP Central Odisha Distribution Limited

TPNODL

TP Northern Odisha Distribution Limited

TPSODL

TP Southern Odisha Distribution Limited

TPWODL

TP Western Odisha Distribution Limited

CENTRALIZED CONTRACTS GROUP

NIT No.: TPCODL / CCG / 24-25 / 1000001334

Open Tender Notification**For****Rate Contract for Supply of Covered Conductor of various sizes for TPNODL, TPSODL & TPWODL.****Tender Enquiry No.: TPCODL/CCG/24-25/1000001334,
Due Date for Bid Submission: 26/11/2024 [17:00 Hrs.]****Centralized Contracts Group
Tata Power Odisha DISCOMs
1st Floor, Anuj Building, Plot No. 29, Satya Nagar,
Bhubaneswar – 751007.****TPCODL TPNODL TPSODL TPWODL
(TATA Power and Odisha Government Joint Venture)**

CENTRALIZED CONTRACTS GROUP

NIT No.: TPCODL / CCG / 24-25 / 1000001334

Contents

1.0	Event Information.....	4
1.1	Scope of work	4
1.2	Availability of Tender Documents.....	5
1.3	Calendar of Events.....	6
2.0	Pre- Qualification Criteria.....	7
3.0	Evaluation Criteria	8
3.1	Price Basis	9
4.0	Contact Information	9
5.0	Submission of Bid Documents.....	10
5.1	Bid Submission.....	10
5.1.1	First Part : EMD	10
5.1.2	Second Part : Techno-Commercial Bid.....	11
5.1.3	Third Part : Price Bid	12
5.2	Signing of Bid Documents.....	13
5.3	Mandatory documents required along with the Bid	13
5.4	Deviation from Tender	13
6.0	Bid Related Details	14
6.1	Bid Prices.....	14
6.2	Bid Currencies.....	14
6.3	Period of Validity of Bids.....	14
6.4	Alternative Bids	14
6.5	Modifications and Withdrawal of Bids.....	14
7.0	Bid Opening & Evaluation	14
7.1	Bid Confidentiality	15
7.2	Technical Bid Opening	15
7.2.1	Preliminary Examination of Bids/Responsiveness	15
7.2.2	Techno Commercial Clarifications.....	16
7.2.3	Right of Acceptance/Rejection.....	16
7.3	Price Bid Opening	16
8.0	Market Integrity.....	17
9.0	Supplier Confidentiality.....	17
10.0	Reverse Auctions	17
11.0	Award Decision.....	18

CENTRALIZED CONTRACTS GROUP

NIT No.: TPCODL / CCG / 24-25 / 1000001334

12.0	Order of Preference / Contradiction.....	18
13.0	Post Award Contract Administration.....	19
13.1	Special Conditions of Contract.....	19
13.2	Drawing Submission and Approval.....	20
13.3	Payment Terms.....	20
14.0	Climate Change.....	20
15.0	Ethics.....	20
16.0	Specification and standards.....	21
17.0	General Condition of Contract.....	21
18.0	Safety Policy and Safety Terms & Conditions.....	21
19.0	Tata Code of Conduct.....	21
20.0	Environment & Sustainability Policy.....	21
	ANNEXURE-I : Price Schedule.....	22
	ANNEXURE-II : Technical Specification.....	23
	ANNEXURE III : Schedule of Deviations.....	24
	ANNEXURE IV : Schedule of Commercial Specifications.....	25
	ANNEXURE V : Checklist of all the documents to be submitted with the Bid.....	26
	ANNEXURE VI : Acceptance form for Participation in Reverse Auction Event.....	27
	ANNEXURE VII : General Conditions of Contract.....	29
	ANNEXURE VIII : Safety Policy and Safety Terms & Conditions.....	30
	ANNEXURE IX : Tata Code of Conduct.....	31
	ANNEXURE X : Environment & Sustainability Policy.....	32
	ANNEXURE XI : Authorization Letter Format.....	33
	ANNEXURE XII : Instructions to Bidder for participation in ARIBA System.....	34



TP Central Odisha Distribution Limited



TP Northern Odisha Distribution Limited



TP Southern Odisha Distribution Limited



TP Western Odisha Distribution Limited

CENTRALIZED CONTRACTS GROUP

NIT No.: TPCODL / CCG / 24-25 / 1000001334

Centralized Contracts Group (CCG):

The Centralized Contracts Group (CCG) is a shared service group of four Tata Power Odisha Distribution Companies (DISCOMs) - TPCODL, TPNODL, TPSODL & TPWODL. CCG is responsible for carrying out tendering activities to cater to the purchasing needs of all four DISCOMs.

1.0 Event Information

Bids are invited in the Two-part Bid system from interested Bidders to establish a Rate Contract as below:

Tender Enquiry No.	Work Description	EMD (Rs.) *	Tender Fee inclusive of GST (Rs.) **	Last Date and Time for payment of Tender Fee
TPCODL/CCG/24-25/1000001334	Rate Contract for Supply of Covered Conductor of various sizes for TPNODL, TPSODL & TPWODL.	5,00,000/-	5,000/-	13-11-2024

* EMD exempted for MSMEs registered in the State of Odisha.

** Tender fee – Rs. 1,000/- including GST. for MSMEs registered in the State of Odisha (Ref. Odisha MSME Preferential Norms for details on Odisha MSME support)

1.1 Scope of work

Bids are invited from interested Bidders to award Rate Contract (RC)/Purchase Order (PO) for Procurement of Covered Conductor of various ratings as per the details mentioned below:
Detailed scope as stipulated elsewhere in this tender document.

Sl. No.	Material Description	TPNODL requirement (Meter)	TPWODL requirement (Meter)	TPSODL requirement (Meter)	Total requirement (Meter)
1	CONDUCTOR 11 KV 100 SQ.MM. AAAC - INSULATED	3,82,000	1,00,000	50,000	5,32,000
2	33 KV 148 SQ.MM COVERED CONDUCTOR	-	-	40,000	40,000

Odisha MSME Preferential Norms

Property of CCG – Not to be reproduced without prior written permission of CCG (TP Odisha DISCOMs)

CENTRALIZED CONTRACTS GROUP

NIT No.: TPCODL / CCG / 24-25 / 1000001334

- **Tender Fees Relaxation:** To participate in the tender, MSMEs registered in the State of Odisha shall pay Rs.1,000/- including GST towards the cost of tender paper.
- **Earnest Money Deposit (EMD) Exemption:** EMD shall be exempted for MSME registered in the State of Odisha. However, Bidder shall be barred to participate in the tendering process for a period of 2 years in case it backs out post award of the contract.
- **Qualification Requirement Relaxation:** Qualification Requirement of Financial Turnover for MSME registered in the State of Odisha shall be reduced to 20% of the existing criteria.
- **Past-Experience Relaxation:** instead of relying on the volumes / value of earlier Supplies / Projects, assessment of the Bidder shall be done based on feedback from Customers. Past performance experience at Tata Power and its Group Companies shall supersede feedback from other Customers.
- **Reservation for MSME:** TP DISCOM shall procure at least 20% of the total volume of the procurement from MSME registered in the State of Odisha (however, it shall not apply where goods/services are not available with the MSME), subject to matching L1 discovered prices and meeting technical specifications including quality requirements.
- **Performance Bank Guarantee (PBG) Relaxation:** Performance Bank Guarantee for MSME registered in the State of Odisha shall be 25% of the value normally prescribed.

1.2 Availability of Tender Documents

The bidder can get primary information about the tender from the Newspaper advertisement. Tender documents can be downloaded from TP Odisha DISCOM's websites:

www.tpcentralodisha.com,

www.tpnodl.com,

www.tpwesternodisha.com,

www.tpsouthernodisha.com

Non-Refundable Tender Participation Fee, as indicated in tender document, to be submitted before last date of tender fee payment, in the form of direct deposit / NEFT / RTGS in the following bank account.

Account Name: TP Central Odisha Distribution Limited

Bank Name: State Bank of India,

IDCO Towers, Bhubaneswar

Bank Account No.: 10835304915

IFSC Code: SBIN0007891

To receive online bidding link, eligible and Interested bidder shall send an email to Package Owner (Ref. Clause 4.0 for details) attaching duly signed and stamped letter on Bidder's letterhead, with following details, expressing their intent to bid against above tender in following format:

Sr No	Description	Bidder's Response
-------	-------------	-------------------

CENTRALIZED CONTRACTS GROUP

NIT No.: TPCODL / CCG / 24-25 / 1000001334

i)	Tender Enquiry No.	
ii)	Description of materials / Works Tendered	
iii)	Name and address of the bidding company	
iv)	Name of the authorized contact person	
v)	Contact No. of authorized person	
vi)	E-mail Id to which online ARIBA link to be sent	
vii)	Tender Fee details (Amount / NEFT-RTGS UTR No / Date) (Ref sec 1.2)	
viii)	GST No. of bidder	
ix)	MSME Certificate (if applicable)	
x)	Postal address of bidder for return of EMD BG	

E-mail must be sent to saurabh.kumar@tpwesternodisha.com with copy to umesh.bhardwaj7@tpcentralodisha.com on or before last date and time for payment of tender participation fee (Clause 1.3).

On receipt of the above letter, after due verification, the ARIBA link for participation in the tender will be sent to the bidder's e-mail address from ARIBA system. Bids shall be submitted only through the online e-procurement platform, ARIBA. Any other form of bid submission shall not be accepted. **(Ref. Annexure XII for detailed instructions on bid submission in ARIBA)**

1.3 Calendar of Events

(a)	Date of sale/ availability of tender documents from Website	05-11-2024
(b)	Date by which Interested and Eligible Bidder to pay Tender Fee and confirm participation as mentioned in "Procedure to Participate in Tender"	13-11-2024
(c)	Due Date of receipt of pre-bid queries by e-mail if any	15-11-2024
(d)	Due Date of Posting Consolidated replies to all the pre-bid queries as received	17-11-2024
(e)	Date & Time of Pre-Bid Meeting (If any)	It shall be intimated later if required.
(f)	Due date and time of receipt of Bids	26-11-2024; 15:00 Hrs.
(g)	Date & Time of opening technical bids	26-11-2024; 18:00 Hrs.



TP Central Odisha Distribution Limited



TP Northern Odisha Distribution Limited



TP Southern Odisha Distribution Limited



TP Western Odisha Distribution Limited

CENTRALIZED CONTRACTS GROUP

NIT No.: TPCODL / CCG / 24-25 / 1000001334

(h)	Date & Time of opening of Price of qualified bids	Shall be notified to the successful bidders later.
-----	---	--

Note: In the event of the last date specified for submission of bids and date of opening of bids is declared as a closed holiday for TP Discom's office, the last date of submission of bids and date of opening of bids will be the day following working day at appointed times.

2.0 Pre- Qualification Criteria

Sl. No	Parameter	Owner Requirement	Documents to be submitted by Bidder
A	Technical Pre-Qualification Requirements		
1	Technical Experience / Performance	The bidder should have their own manufacturing facility to manufacture Covered Conductor of same or higher rating Bidder must submit a self-undertaking in this regard. One Performance Certificate by any Discoms / PSUs / Reputed companies is to be submitted. The work against these issued certificates should be completed in the last 07 years from the date of bid submission. In case the bidder has got previous association with Tata Power / TPCODL / TPNODL / TPWODL for supply of similar product, performance feedback of the same will be solely considered irrespective of the performance certificate issued by bidder's other customers	Self-undertaking on Bidder's company letterhead for having manufacturing facility to be submitted. The performance certificate and contact details of the client need to be submitted
2	BIS/ISO Certification.	Relevant BIS/ISO certification shall be submitted. The certification should be valid on the date of the Tender opening.	A valid BIS/ISO certificate is to be submitted, if applicable.
3	In-house Testing Facility	The bidder should have had an in-house Testing facility for routine & acceptance tests as per technical specifications.	Self-undertaking on Bidder's company letterhead for having in-

TPCODL

TP Central Odisha Distribution Limited

TPNODL

TP Northern Odisha Distribution Limited

TPSODL

TP Southern Odisha Distribution Limited

TPWODL

TP Western Odisha Distribution Limited

CENTRALIZED CONTRACTS GROUP

NIT No.: TPCODL / CCG / 24-25 / 1000001334

			house testing facility to be submitted.
4	Non-blacklisting/Debarment	The Bidder should not be blacklisted/debarred from any Govt. organization/DISCOM/Power Utility in India.	Self-undertaking on Bidder's company letterhead to be submitted.
B	Financial Pre-Qualification Requirements		
1	Commercial Capability	The bidder should have an Average Annual Turnover of at least Rs. 25 Cr. for any the last 3 Financial Year (FY) i.e. FY 21-22, FY 22-23 & FY'23-24. Qualification Requirement of Financial Turnover for MSME registered in the State of Odisha shall be reduced to 20% of the existing criteria.	Copy of audited Balance sheet with UDIN no. and CA certified Turnover certificate with UDIN No. to be submitted in this regard.
2	Experience	Bidder should have Experience of having successfully executed supply orders for at least 25% of tender quantity (cumulative) of same or higher rating during last 5 years. Copy of work order / completion certificate to be submitted in this regard. The last day of the previous month prior to date of bid submission shall be counted for purpose of years calculation.	Order copies with corresponding invoices/Completion certificate/MDCC to be submitted in this regard. The Bidder must mandatorily submit a dully filled in sheet for furnishing past supply details.
3	Statutory Compliances	The prospective Bidder(s) should be have following certificates: a. Valid GST Registration Certificate. b. Valid PAN No. c. MSME certificate d. EPFO certificate/Undertaking for exemption e. ESI certificate/ Undertaking for exemption	Relevant documents to be submitted in this regard.

3.0 Evaluation Criteria

- The bids will be evaluated technically and on qualifying criteria of tender terms and conditions.

CENTRALIZED CONTRACTS GROUP

NIT No.: TPCODL / CCG / 24-25 / 1000001334

- The bids will be evaluated commercially on an individual line-item basis for all-inclusive lowest quoted price as calculated in Schedule of Items [Annexure I]).
- Bidder must mandatorily quote against each item of Schedule of Items [Annexure I]. Failing to do so, CCG may reject the bids.

NOTE: In case a new bidder is not registered with DISCOM, factory inspection and evaluation shall be carried out to ascertain the bidder's manufacturing capability and quality procedures. However, DISCOM reserves the right to carry out factory inspection and evaluation for any bidder prior to technical qualification.

In case a bidder is found as Disqualified in the factory evaluation, their bid shall not be evaluated any further and shall be summarily rejected. The decision of DISCOM shall be final and binding on the bidder in this regard.

3.1 Price Basis

-Price will be fixed and FIRM during the entire contract period.

4.0 Contact Information

All the bidders are requested to send their pre-bid queries (if any) against this tender through e-mail within the stipulated timelines. The consolidated reply to all the queries received shall be posted on website by the stipulated timelines as detailed in calendar of events.

Communication Details:Package Owner:

Name: Saurabh Kumar

Contact No.: 7004418500

E-Mail ID: saurabh.kumar@tpwesternodisha.com

Escalation Level I:

Name: Umesh Bhardwaj, HoD- CCG

Contact No.: 9871552975

E-Mail ID: umesh.bhardwaj7@tpcentralodisha.com

Escalation Level II:

Name: Mr. Vipin Chauhan, Head -CCG

Contact No.: 9717393121

E-Mail ID: vipin.chauhan@tpnodl.com

CENTRALIZED CONTRACTS GROUP

NIT No.: TPCODL / CCG / 24-25 / 1000001334

5.0 Submission of Bid Documents**5.1 Bid Submission:**

Bidders are requested to submit their offer in line with this Tender document through e-tendering process.

All future correspondence regarding the tender, bid submission, bid submission date extension, Pre-bid query etc. shall be through TPCODL E-Tender system (Ariba).

Bids shall be submitted in 3 (Three) parts:

5.1.1 First Part: EMD

EMD as applicable shall be submitted. The EMD shall be valid for 210 days from the due date of bid submission in the form of Bank Guarantee / Bank Draft / Bankers Pay Order (issued from a Scheduled Bank) online NEFT/ RTGS transfer favoring '**TP Central Odisha Distribution Limited**' payable at **Bhubaneswar**. The EMD BG must be strictly in the format as mentioned in the General Condition of Contract, failing which it shall not be accepted by CCG and the bid as submitted shall be liable for rejection. A separate **non-refundable tender fee** of the stipulated amount also needs to be transferred **online through NEFT/ RTGS** in case the tender document is downloaded from our website.

TPCODL Bank Details for transferring Tender Fee and EMD is as below:

Account Name: TP CENTRAL ODISHA DISTRIBUTION LIMITED

Bank Name: SBI, IDCO Towers, Bhubaneswar

Bank Account No.: 10835304915

IFSC Code: SBIN0007891

Note- EMD is preferred in the form of Bank Guarantee and to be delivered to the following address. However, in view of the present situation if Bidder is finding it difficult to submit BG for EMD amount, they can do online transfer of EMD amount in the above-mentioned Account and submit proof of the same as part of Bid Submission.

-In such case, Tender Fee and EMD should be strictly 2 separate transactions else bids shall be rejected.

-Return of EMD from Bank Account is non-standard practice and the same may take more time than return of EMD BG.

EMD Original Hard Copy shall be delivered to the following address in Envelope clearly indicating Tender Reference/ Enquiry Number, Name of Tender and Bidder Name.

CENTRALIZED CONTRACTS GROUP

NIT No.: TPCODL / CCG / 24-25 / 1000001334

“EMD (Earnest Money Deposit)”**“Rate Contract for the supply of Covered Conductor of various sizes for TPNODL, TPSODL & TPWODL.”****Chief – Centralized Contracts Group****TP Central Odisha Distribution Limited****1st Floor, Anuj Building, Plot No. 29, Satya Nagar, Bhubaneswar- 751007****Kind Attn.: Saurabh Kumar, Contact No.: 7004418500.**

**EMD shall be exempted for MSME registered in the State of Odisha. However, Bidder shall be barred to participate in the tendering process for a period of 2 years in case it backs out post award of the contract.*

The bidder shall furnish, as part of its bid, an EMD amounting as specified in the tender. The EMD is required to protect DISCOM against the risk of bidder's conduct which would warrant forfeiture.

The EMD shall be denominated in any of the following form:

- Bank Guarantee in favor of TP Central Odisha Distribution Limited payable at Bhubaneswar.
 - Online transfer of requisite amount through NEFT/ RTGS.
 - Bank Guarantee valid for 210 days after the due date of submission.
- Ref. GCC for Format of Bank Guarantee*

The EMD shall be forfeited in case:

- a) The bidder withdraws its bid during the period of specified bid validity.

Or

- b) The successful Bidder does not
- i. accept the Purchase Order, or
 - ii. furnish the required Performance Security Bank Guarantee

5.1.2 Second Part: Techno-Commercial Bid.

Techno-Commercial bid shall contain the following documents. Absence of any of these may attract bid rejection:

1. Index Stating Document name & Page No./Document No. in bid. As illustrated below:

Sr No	Document	Page No/Document No
1	Type test Reports	3
2	Schedule of Deviations	8

CENTRALIZED CONTRACTS GROUP

NIT No.: TPCODL / CCG / 24-25 / 1000001334

3	...	...
---	-----	-----

2. Requisite Documents for compliance with Qualification Criteria mentioned in Clause 2.0 and clause no. 1.5.
3. Type Test Certificate* of same or higher rating.
4. Acceptance of Specification as per Annexure II.
5. Duly signed and stamped 'Schedule of Deviations' as per Annexure III on bidder's letter head.
6. Duly signed and stamped 'Schedule of Commercial Specifications' as per Annexure IV on the bidder's letter head.
7. Duly filled in Annexure V and VI.
8. Proper authorization letter / Power of Attorney to sign the tender on behalf of bidder.
9. Copy of PAN, GST registration (In case any of these documents is not available with the bidder, same to be explicitly mentioned in the 'Schedule of Deviations')

The type tests specified in technical specifications should have been carried out **within five years (unless otherwise explicitly stated) prior to the date of opening of technical bids and test reports are to be submitted along with the bids. If type tests carried out are not within the five years prior to the date of bidding, the bidder will arrange to carry out specified type tests, at his cost. The decision to accept/reject such bids rests with DISCOM.*

The technical bid shall be submitted through CCG / TPCODL E-tender System (Ariba) only. Hard Copy of Technical Bids need not be submitted unless specifically asked for.

5.1.3 Third Part: Price Bid

Price Bid shall contain only the price details and strictly in format as mentioned in Annexure I along with explicit break up of basic prices and Taxes & duties etc. In case any discrepancy is observed between the item description stated in Schedule of Items mentioned in the tender and the price bid submitted by the bidder, the item description as mentioned in the tender document (to the extent modified through Corrigendum issued if any) shall prevail. The price bids containing any deviations/conditions shall be liable to be rejected.

Price Bid is to be submitted in soft copy through CCG/TPCODL E-Tendering system (Ariba) only. Hard copy of Price Bid shall not be submitted.

The Bid prepared by the Bidder, and all correspondence and documents relating to the Bid exchanged by the Bidder and CCG, shall be written in the English Language. Any printed literature furnished by the Bidder may be written in another Language, provided that this literature is accompanied by an English translation, in which case, for purposes of interpretation of the Bid, the English translation shall govern.

CENTRALIZED CONTRACTS GROUP

NIT No.: TPCODL / CCG / 24-25 / 1000001334

5.2 Signing of Bid Documents

The bid must contain the name, residence, and place of business of the person or person making the bid and must be signed and sealed by the Bidder with his usual signature. The names of all the people signing should also be typed or printed below the signature.

The Bid being submitted must be signed by a person holding a **Power of Attorney** authorizing him to do so, certified copies of which shall be enclosed.

The Bid submitted on behalf of companies registered with the Indian Companies Act, for the time being in force, shall be signed by persons duly authorized to submit the Bid on behalf of the Company and shall be accompanied by certified true copies of the resolutions, extracts of Articles of Association, special or general Power of Attorney etc. to show clearly the title, authority and designation of persons signing the Bid on behalf of the Company. Satisfactory evidence of authority of the person signing on behalf of the Bidder shall be furnished with bid.

A bid by a person who affixes to his signature the word 'President', 'Managing Director', 'Secretary', 'Agent' or other designation without disclosing his principal will be rejected.

The Bidder's name stated on the Proposal shall be the exact legal name of the firm.

5.3 Mandatory documents required along with the Bid.

- 1.4.1 EMD of requisite value and validity
- 1.4.2 Tender Fee.
- 1.4.3 Requisite Documents for compliance to Qualification Criteria mentioned in Clause 1.7.
- 1.4.4 Acceptance of Specification, drawing with filled in GTP as per Annexure II.
- 1.4.5 Duly signed and stamped 'Schedule of Deviations' as per Annexure III on bidder's letter head.
- 1.4.6 Duly signed and stamped 'Schedule of Commercial Specifications' as per Annexure IV on the bidder's letter head.
- 1.4.7 Duly filled in Annexure V and VI.
- 1.4.8 Proper authorization letter/ Power of Attorney to sign the tender on the behalf of bidder.
- 1.4.9 Copy of PAN, GST registration (In case any of these documents is not available with the bidder, same to be explicitly mentioned in the 'Schedule of Deviations')

Please note that in the absence of any of the above documents (as applicable), the bid submitted by a bidder shall be liable for rejection.

5.4 Deviation from Tender

CENTRALIZED CONTRACTS GROUP

NIT No.: TPCODL / CCG / 24-25 / 1000001334

Normally, deviations to tender terms are not admissible and the bids with deviation are liable for rejection. Hence, the bidders are advised to refrain from taking any deviations on this Tender. Still in case of any deviations, all such deviations shall be set out by the Bidders, clause by clause in the 'Annexure III - Schedule of Deviations' and same shall be submitted as a part of the Technical Bid.

6.0 Bid Related Details**6.1 Bid Prices**

Bidders need to quote for all items as per the Price schedule attached in Annexure I. The bidder shall complete the appropriate Price Schedules included herein, stating the Unit Price for each item & total price with taxes, duties & freight up to destination at various DISCOMS. sites. The all-inclusive prices offered shall be inclusive of all costs –Insurance, Transport, duties, taxes, levies paid or payable etc. during the execution of the supply work. Applicable GST to be specified clearly.

The quantity break-up shown elsewhere other than the Price Schedule may tentative. The bidder shall ascertain himself regarding material required for completeness of the entire work. Any items not indicated in the price schedule, but which are required to complete the job as per the Technical Specifications/ Scope of Work/ SLA mentioned in the tender, shall be deemed to be included in prices quoted.

6.2 Bid Currencies

Prices shall be quoted in Indian Rupees Only unless otherwise stated explicitly.

6.3 Period of Validity of Bids

Bids shall remain valid for **180 days** from the due date of submission of the bid.

Notwithstanding the clause above, CCG may solicit the Bidder's consent to an extension of the Period of Bid Validity. The request and responses thereto shall be made in writing.

6.4 Alternative Bids

Bidders shall submit Bids, which comply with the Bidding documents. Alternative bids will not be considered. The attention of Bidders is drawn to the provisions regarding the rejection of Bids in terms and conditions, which are not substantially responsive to the requirements of the bidding documents.

6.5 Modifications and Withdrawal of Bids

The bidder is not allowed to modify or withdraw its bid after the Bid's submission. The EMD as submitted along with the bid shall be liable for forfeiture in such an event.

7.0 Bid Opening & Evaluation

Property of CCG – Not to be reproduced without prior written permission of CCG (TP Odisha DISCOMs)

CENTRALIZED CONTRACTS GROUP

NIT No.: TPCODL / CCG / 24-25 / 1000001334

7.1 Bid Confidentiality

Information relating to the examination, clarification, evaluation and comparison of Bids and recommendations for the award of a contract shall not be disclosed to Bidders or any other persons not officially concerned with such process. Any effort by a Bidder to influence CCG in processing of Bids or award decisions may result in rejection of the Bidder's Bid.

7.2 Technical Bid Opening

Technical Bids shall be opened online as per schedule mentioned in section 1.3, in CCG Office (1st Floor Conference room, Plot -29, Anuj Building Satya Nagar, Bhubaneswar). Bidders having authorization letter (format Annexed- XI) for attending bid opening from competent authority of respective Organizations, who may choose to be present physically / online at the time of tender opening. If the office is closed on the specified date of opening of the bids, the opening shall be done on the next working day at the same time. The technical bid must not contain any cost information whatsoever, else bids shall be liable to be rejected.

First the envelope marked "EMD" will be opened. Bids without EMD/cost of tender (if applicable) of required amount/ validity in prescribed format, shall be rejected.

Next, the technical bid of the bidders who have furnished the requisite EMD will be opened, one by one.

7.2.1 Preliminary Examination of Bids/Responsiveness

CCG will examine the Bids to determine whether they are complete, whether any computational errors have been made, whether required sureties have been furnished, whether the documents have been properly signed, and whether the Bids are in order & format as detailed elsewhere in this document. CCG may ask for submission of original documents to verify the documents submitted in support of qualification criteria.

Arithmetical errors will be rectified on the following basis: If there is a discrepancy between the unit price and the total price per item that is obtained by multiplying the unit price and quantity, the unit price shall prevail and the total price per item will be corrected. If there is a discrepancy between the Total Amount and the sum of the total price per item, the sum of the total price per item shall prevail and the Total Amount will be corrected.

Prior to the detailed evaluation, CCG will determine the substantial responsiveness of each Bid to the Bidding Documents including production capability and acceptable quality of the Goods offered. A

CENTRALIZED CONTRACTS GROUP

NIT No.: TPCODL / CCG / 24-25 / 100001334

substantially responsive Bid is one which conforms to all the terms and conditions of the Bidding Documents without material deviation. CCG reserves the right to reject non-responsive bids.

7.2.2 Techno Commercial Clarifications

Bidders need to ensure that the bids submitted by them are complete in all respects. To assist in the examination, evaluation and comparison of Bids, CCG/Engineering may at its discretion, ask the Bidder for a clarification on its Bid for any deviations with respect to specifications and attempt will be made to bring all bids on a common footing. Any such clarification as sought shall have to be responded to by the bidder within two working days, post which the bids shall be liable to be rejected. All responses to requests for clarification shall be in writing and no change in the price or substance of the Bid shall be sought, offered, or permitted owing to any clarifications sought.

7.2.3 Right of Acceptance/Rejection

Bids are liable for rejection in absence of following documents:

- i. EMD of requisite value and validity.
- ii. Tender fee of requisite value.
- iii. Price Bid as per the Price Schedule mentioned in Annexure I (BOQ)
- iv. Necessary documents against compliance with Qualification Requirements mentioned in Clause 2.0 of this Tender Document.
- v. Filled in Schedule of Deviations as per Annexure III.
- vi. Filled in Schedule of Commercial Specifications as per Annexure IV.
- vii. Signed and filled in Specification and GTP as per Annexure II.
- viii. Duly filled and signed Annexure V and VI.
- ix. Receipt of Bid within the due date and time.

CCG reserves the right to accept/reject any or all the bids without assigning any reason thereof.

7.3 Price Bid Opening

Price Bids will be opened online for all technically qualified bidders on the dates as shall be informed to qualified bidders in CCG Office (First Floor Conference room, Plot -29, Anuj Building Satya Nagar, and Bhubaneshwar). Bidders having authorization letter (format annexed) for attending bid opening from competent authority of respective Organizations shall be allowed to be present physically/online at the time of bid opening. If the office is closed on the specified date of opening of the bids, the opening shall be done on the next working day at the same time. The EMD of the bidder withdrawing or substantially altering his offer at any stage after the technical bid opening will be forfeited at the sole discretion of DISCOM without any further correspondence in this regard.

CENTRALIZED CONTRACTS GROUP

NIT No.: TPCODL / CCG / 24-25 / 1000001334

8.0 Market Integrity

We have a fair and competitive marketplace. The rules for bidders are outlined in the General Condition of Contracts. Bidders must agree to these rules prior to participating. In addition to other remedies available, CCG reserves the right to exclude a bidder from participating in future markets due to the bidder's violation of any of the rules or obligations contained in the General Condition of Contracts. A bidder who violates the market place rules or engages in behavior that disrupts the fair execution of the marketplace may result in restriction of a bidder from further participation in the marketplace for a length of time, depending upon the seriousness of the violation. Examples of violations include, but are not limited to:

- Failure to honor prices submitted to the marketplace.
- Breach of terms as published in TENDER / NIT

9.0 Supplier Confidentiality

All information contained in this tender is confidential and shall not be disclosed, published or advertised in any manner without written authorization from CCG. This includes all the bidding information submitted to DISCOM. All tender documents remain the property of DISCOM, and all suppliers are required to return these documents to DISCOM upon request. Suppliers who do not honor these confidentiality provisions will be excluded from participating in future bidding events.

10.0 Reverse Auctions

CCG reserves the right to conduct the reverse auction for the products/ services being asked for in the tender. The terms and conditions for such reverse auction events shall be as per the Acceptance Form attached as Annexure VI of this document. The bidders along with the tender document shall mandatorily submit a duly signed copy of the Acceptance Form attached as Annexure VI as a token of acceptance for the same.

Bidders shall be allowed to participate in Reverse auction as per following criteria hence bidders are advised to quote their most competitive rates while submitting the bids to avoid disqualification from participation in Reverse Auction.

Reverse Auction shall be as per the below approach:

No. of bidders allowed to participate in RA process shall be: Total No. of bidders on whom tender would be split PLUS 2 more bidders.

CENTRALIZED CONTRACTS GROUP

NIT No.: TPCODL / CCG / 24-25 / 1000001334

Illustrative example: Total no. of qualified bidders is 10 & tender needs to split amongst 4 bidders.

PLUS 2 means ($04 + 02 = 06$) means lowest 6 bidders i.e., L1 to L6 bidders would be allowed in the RA process. Balance, H1 to H4 bidders would not be allowed in the RA process.

In case – Total no. of qualified bidders is equal to or less than the **PLUS 2** number, all qualified bidders shall be allowed in the RA process.

Illustrative example: Total no. of qualified bidders is 4 & tender needs to split amongst 2 bidders. PLUS 2 means ($02 + 02 = 04$), so all 4 qualified bidders would be allowed in the RA process.

Illustrative example: Total no. of qualified bidders is 3 & if the tender is to be awarded to a single party only, PLUS 2 means ($01 + 02 = 03$), so all 3 qualified bidders would be allowed in the RA process.

11.0 Award Decision

DISCOM will award the contract to the successful bidder whose bid has been determined to be the lowest-evaluated responsive bid as per the Evaluation Criterion mentioned in Clause 3.0. The Cost for the said calculation shall be taken as the all-inclusive cost quoted by bidder in Annexure I (Schedule of Items) subject to any corrections required in line with Clause 7.2.1. The decision to place purchase order/LOI solely depends on CCG on bidder qualification & cost competitiveness across multiple lots, quality, delivery, and bidder's capacity, in addition to other factors that CCG may deem relevant.

CCG reserves the right to split the order quantity wise/Line item wise among two numbers of Bidders. All bidders are advised to quote their most competitive rates against each line item. However, CCG reserves the right to adjust the splitting as per bidders' participation/qualification/any other unforeseen condition in tender.

DISCOM reserves the right to award the contract to one or more number of bidders to meet the delivery requirement or nullify the award decision without assigning any reason thereof.

In case any supplier is found unsatisfactory during the delivery process, the award will be cancelled and DISCOM reserves right to award contract to other suppliers who are found fit.

12.0 Order of Preference / Contradiction

In case of contradiction in any part of various documents in tender, the following shall prevail in order of preference:

1. Schedule of Items – Price Bid (Annexure I)
2. Technical Specifications (Annexure II)

Property of CCG – Not to be reproduced without prior written permission of CCG (TP Odisha DISCOMs)

CENTRALIZED CONTRACTS GROUP

NIT No.: TPCODL / CCG / 24-25 / 1000001334

3. Special Conditions of Contract (Clause 13.1)
4. Submission of Bid Documents (Clause 5.0)
5. Acceptance Form for Participation in Reverse Auction (Annexure VI)
6. General Conditions of Contract (Annexure VII)

13.0 Post Award Contract Administration**13.1 Special Conditions of Contract**

- i. The Rate Contract shall be valid for a period of 12 months from the placement of the Contract. Release Order (RO) shall be placed as per the requirement of respective TP Odisha Discom. Rates shall remain FIRM throughout the RC period.
- ii. Prices shall be inclusive of Transit Insurance/ Packing & Forwarding charges and shall be inclusive of unloading & stacking at Discom site / store locations.
- iii. BA shall submit applicable PBG as per GCC within 15 days of issuance of RC. PBG applicable shall be 5% of contract value. PBG submitted shall be released after completion of applicable guarantee period plus one month. The Performance Bank Guarantee for MSME registered in the State of Odisha shall be 25% of the value normally prescribed.
- iv. The guarantee period shall be 24 months from the date of commissioning or 30 months from the date of supply, whichever is earlier.
- v. BA shall submit GTP/ Drawing within 15 days from issuance of rate contract. If drawings are not approved by competent authority due to document shortfall or any changes are suggested, vendor must resubmit new drawing/GTP/documents within 05 days of such intimation. BA shall offer prototype inspection within 15 days of issuance of approved Drawings/GTP (if applicable). In case BA does not get necessary approvals for issuance of manufacturing clearances /CAT-A within mentioned / mutually agreed timelines, then CCG/TP Odisha Discoms reserve the right to cancel issued rate contract / release order and reserve the right to forfeit EMD/PBG.
- vi. **Delivery Period** shall be 60 Days from date of receipt of release order / CAT-A GTP approval, whichever is later.
- vii. **Payment Terms:** 100% payment within 60 days of submission of error-free Invoice complete in all respects. However, for MSME the payment cycle shall be 45 days.
- viii. Pre-dispatch inspection, MDCC and LD shall be applicable as per GCC.

CENTRALIZED CONTRACTS GROUP

NIT No.: TPCODL / CCG / 24-25 / 1000001334

- ix. TP Odisha Discom reserves the right to short-close the issued Release Order / Rate contract, in case of any quality issues.
- x. Any change in statutory taxes, duties and levies during the contract period shall be borne by the respective TP Odisha Discom. However, in case of delay in supply owing to reasons not attributable to TP Odisha Discom, any increase in total liability shall be passed on the Bidder, whereas any benefits arising owing to such statutory variation in taxes and duties shall be passed on TP Odisha Discom.
- xi. All other terms of GCC – Supply shall be applicable.

14.0 Drawing Submission and Approval

As per SCC, Clause number 13.1 (v)

15.0 Payment Terms

As per SCC, Clause number 13.1 (vii)

16.0 Climate Change

Significant quantities of waste are generated during the execution of the project and an integrated approach for effective handling, storage, transportation, and disposal of the same shall be adopted. This would ensure the minimization of environmental and social impact to combat climate change. Please refer to the attached Environment Policy and Sustainability Policy (Annexure-X).

17.0 Ethics

TP DISCOMs are ethical organizations bound by Tata Code of Conduct. As a policy we lay emphasis on ethical practices across its entire domain. Bidder should ensure that they should abide by all the ethical norms and in no form either directly or indirectly be involved in unethical practice.

DISCOM work practices are governed by the Tata Code of Conduct which emphasizes on the following:

- We shall select our suppliers and service providers fairly and transparently.
- We seek to work with suppliers and service providers who can demonstrate that they share similar values. We expect them to adopt ethical standards comparable to our own.
- Our suppliers and service providers shall represent our company only with duly authorized written permission from our company. They are expected to abide by the Code in their interactions with, and on behalf of us, including respecting the confidentiality of information shared with them.

TPCODL

TP Central Odisha Distribution Limited

TPNODL

TP Northern Odisha Distribution Limited

TPSODL

TP Southern Odisha Distribution Limited

TPWODL

TP Western Odisha Distribution Limited

CENTRALIZED CONTRACTS GROUP

NIT No.: TPCODL / CCG / 24-25 / 1000001334

- We shall ensure that any gifts or hospitality received from, or given to, our suppliers or service providers comply with our company's gifts and hospitality policy.
- We respect our obligations on the use of third party intellectual property and data.

Bidder is advised to refer Tata Code of Conduct (TCOC) attached for more information. For details, refer link: <https://www.tata.com/about-us/tata-code-of-conduct>

Any ethical concerns with respect to this tender can be reported to the following:

Mr. Pradip Sil (Chief Central Contracts Group): pradip.sil@tpcentralodisha.com

18.0 Specification and standards

As per Annexure II

19.0 General Condition of Contract

Any condition not mentioned above shall be applicable as per GCC attached as Annexure VII along with this tender.

20.0 Safety Policy and Safety Terms & Conditions

Annexure VIII attached along with this tender.

21.0 Tata Code of Conduct

Annexure IX attached along with this tender.

22.0 Environment & Sustainability Policy

Annexure X attached along with this tender.

TPCODL

TP Central Odisha Distribution Limited

TPNODL

TP Nothern Odisha Distribution Limited

TPSODL

TP Southern Odisha Distribution Limited

TPWODL

TP Western Odisha Distribution Limited

CENTRALIZED CONTRACTS GROUP

NIT No.: TPCODL / CCG / 24-25 / 1000001334

ANNEXURE-I: Price Schedule

Sl. No.	Item Description	Qty.	UoM	HSN Code	Unit Ex-Work Price (Rs./Unit)	GST (Rs/Unit)	All Inclusive Unit Rate (Rs.)	Total All Inclusive Value (Rs.)
A	B	C	D	E	F	G	H=(F+G)	I=(H x C)
1	CONDUCTOR 11 KV 100 SQ.MM. AAAC – INSULATED	5,32,000	Meter					
2	CONDUCTOR 33 KV 148 SQ.MM. AAAC – INSULATED	40,000	Meter					

**Mandatory to quote in all line items and for all locations as per Section – 1.1 of this tender document.*

NOTE:

- Prices shall be firm till the validity of the contract (As applicable).
- The bids will be evaluated commercially on a Line-item basis.
- The unit price to be entered in column “F” of above table is exclusive of GST.
- The prices mentioned above shall be on an F.O.R basis for all the TPNODL, TPSODL & TPWODL designated locations.
- Issuance of Release Orders (RO) shall be done by respective Discoms as per their requirement.
- The material shall be delivered as per the location mentioned in the release order/MDCC.
- The bidders are advised to quote prices strictly in the above format. Failing to do so, bids shall be liable for rejection.
- The bidder must fill every column of the above format. ***Mentioning “extra/inclusive”/other conditions in any of the column may lead to rejection of the price bid.***
- No cutting/ overwriting in the prices is permissible.
- The quantity mentioned above is for evaluation purposes only and may vary as per actual site requirement.

TPCODL

TP Central Odisha Distribution Limited

TPNODL

TP Northern Odisha Distribution Limited

TPSODL

TP Southern Odisha Distribution Limited

TPWODL

TP Western Odisha Distribution Limited

CENTRALIZED CONTRACTS GROUP

NIT No.: TPCODL / CCG / 24-25 / 1000001334

ANNEXURE-II: Technical Specification

Attached separately with Tender.

CONFIDENTIAL

TPCODL

TP Central Odisha Distribution Limited

TPNODL

TP Northern Odisha Distribution Limited

TPSODL

TP Southern Odisha Distribution Limited

TPWODL

TP Western Odisha Distribution Limited

CENTRALIZED CONTRACTS GROUP

NIT No.: TPCODL / CCG / 24-25 / 1000001334

ANNEXURE III: Schedule of Deviations

Bidders are advised to refrain from taking any deviations on this TENDER. Still in case of any deviations, all such deviations from this tender document shall be set out by the Bidders, Clause by Clause in this schedule and submit the same as a part of the **Technical Bid**.

Unless specifically mentioned in this schedule, the tender shall be **deemed** to confirm the specifications:

Sl. No.	Clause No.	Tender Clause Details	Details of deviation with justifications

By signing this document, we hereby withdraw all the deviations whatsoever taken anywhere in this bid document and comply to all the terms and conditions, technical specifications, scope of work etc. as mentioned in the standard document except those as mentioned above.

Seal of the Bidder:***Signature:******Name:***

Property of CCG – Not to be reproduced without prior written permission of CCG (TP Odisha DISCOMs)

TPCODL

TP Central Odisha Distribution Limited

TPNODL

TP Northern Odisha Distribution Limited

TPSODL

TP Southern Odisha Distribution Limited

TPWODL

TP Western Odisha Distribution Limited

CENTRALIZED CONTRACTS GROUP

NIT No.: TPCODL / CCG / 24-25 / 1000001334

ANNEXURE IV: Schedule of Commercial Specifications

(The bidders shall mandatorily fill in this schedule and enclose it with the offer Part I: Technical Bid. In the absence of all these details, the offer may not be acceptable.)

S. No.	Particulars	Remarks
1.	Prices firm or subject to variation (If variable, indicate the price variation clause with the ceiling if applicable)	Firm / Variable
a.	If variable price variation on clause given	Yes / No
b.	Ceiling	----- %
c.	Inclusive of GST	Yes / No (If Yes, indicate % rate)
d.	Inclusive of transit insurance	Yes / No
2.	Delivery Clause acceptable	Yes / No
3.	Guarantee clause acceptable	Yes / No
4.	Terms of payment acceptable	Yes / No
5.	Performance Bank Guarantee acceptable	Yes / No
6.	Liquidated damages clause acceptable	Yes / No
7.	Bid Validity (180 days) (From the date of opening of bid)	Yes / No
8.	Inspection during stage of manufacture	Yes / No
9.	Covered under Small Scale and Ancillary Industrial Undertaking Act 1992	Yes / No (If Yes, indicate, SSI Reg'n No.)

Seal of the Bidder:***Signature:******Name:***

Property of CCG – Not to be reproduced without prior written permission of CCG (TP Odisha DISCOMs)

TPCODL

TP Central Odisha Distribution Limited

TPNODL

TP Nothern Odisha Distribution Limited

TPSODL

TP Southern Odisha Distribution Limited

TPWODL

TP Western Odisha Distribution Limited

CENTRALIZED CONTRACTS GROUP

NIT No.: TPCODL / CCG / 24-25 / 1000001334

ANNEXURE V: Checklist of all the documents to be submitted with the Bid

Bidder must mandatorily fill in the checklist mentioned below:

Sl. No.	Documents attached	Yes / No / Not Applicable
1	EMD of required value	
2	Tender Fee as mentioned in this tender	
3	Signed copy of this tender as an unconditional acceptance	
5	Duly filled schedule of commercial specifications (Annexure IV)	
6	Sheet of commercial/technical deviation if any (Annexure III)	
7	Balance sheet with UDIN for the last three completed financial years; mandatorily enclosing Profit & loss account statement	
8	Acknowledgement for Testing facilities if available (duly mentioned on bidder letter head)	
9	List of Machine/tools with updated calibration certificates if applicable	
10	Details of order copy (duly mentioned on bidder letter head)	
11	Order copies as a proof of quantity executed	
12	Details of Type Tests if applicable (duly mentioned on bidder letter head)	
13	All the relevant Type test certificates as per relevant IS/IEC (CPRI/ERDA/other certified agency) if applicable	
14	Project/supply Completion certificates	
15	Performance certificates	
16	Client Testimonial/Performance Certificates	
17	Credit rating/solvency certificate	
18	Undertaking regarding non blacklisting (On company letter head)	
19	List of trained/untrained Manpower	

Seal of the Bidder:**Signature:****Name:**

Property of CCG – Not to be reproduced without prior written permission of CCG (TP Odisha DISCOMs)

CENTRALIZED CONTRACTS GROUP

NIT No.: TPCODL / CCG / 24-25 / 1000001334

ANNEXURE VI: Acceptance form for Participation in Reverse Auction Event***(To be signed and stamped by the bidder)***

In a bid to make our entire procurement process fairer and more transparent, CCG intends to use the reverse auctions as an integral part of the entire tendering process. All the bidders who are found as technically qualified based on the tender requirements shall be eligible to participate in the reverse auction event.

The following terms and conditions are deemed accepted by the bidder on participation in the bid event:

1. CCG shall provide the user id and password to the authorized representative of the bidder. *(Authorization Letter in lieu of the same shall be submitted along with the signed and stamped Acceptance Form).*
2. CCG will make every effort to make the bid process transparent. However, the award decision by CCG would be final and binding on the supplier.
3. The bidder agrees to non-disclosure of trade information regarding the purchase, identity of CCG, bid process, bid technology, bid documentation, and bid details.
4. The bidder is advised to understand the auto bid process to safeguard themselves against any possibility of non-participation in the auction event.
5. In case of bidding through Internet medium, bidders are further advised to ensure availability of the entire infrastructure as required at their end to participate in the auction event. Inability to bid due to telephone line glitch, internet response issues, software or hardware hangs, power failure or any other reason shall not be the responsibility of CCG.
6. In the case of intranet medium, CCG shall provide the infrastructure to bidders. Further, CCG has sole discretion to extend or restart the auction event in case of any glitches in infrastructure observed which has restricted the bidders to submit the bids to ensure fair & transparent competitive bidding. In case an auction event is restarted, the best bid as already available in the system shall become the start price for the new auction.
7. In case the bidder fails to participate in the auction event due any reason whatsoever, it shall be presumed that the bidder has no further discounts to offer, and the initial bid as submitted by the bidder as a part of the tender shall be considered as the bidder's final no regret offer. Any offline price bids received from a bidder in lieu of non-participation in the auction event shall be outrightly rejected.
8. The bidder shall be prepared with competitive price quotes on the day of the bidding event.
9. The prices as quoted by the bidder during the auction event shall be inclusive of all the applicable taxes, duties and levies and shall be FOR at Discom site / store.

TPCODL

TP Central Odisha Distribution Limited

TPNODL

TP Northern Odisha Distribution Limited

TPSODL

TP Southern Odisha Distribution Limited

TPWODL

TP Western Odisha Distribution Limited

CENTRALIZED CONTRACTS GROUP**NIT No.: TPCODL / CCG / 24-25 / 1000001334**

10. The prices submitted by a bidder during the auction event shall be binding on the bidder.
11. No requests for an event time extension of an auction event shall be considered by CCG.
12. The original price bids of the bidders shall be reduced on pro-rata basis against each line item based on the final all-inclusive prices offered during conclusion of the auction event for arriving at Contract amount.

[Signature & Stamp of Bidder]

CONFIDENTIAL

TPCODL

TP Central Odisha Distribution Limited

TPNODL

TP Northern Odisha Distribution Limited

TPSODL

TP Southern Odisha Distribution Limited

TPWODL

TP Western Odisha Distribution Limited

CENTRALIZED CONTRACTS GROUP

NIT No.: TPCODL / CCG / 24-25 / 1000001334

ANNEXURE VII: General Conditions of Contract

Attached Separately

CONFIDENTIAL

TPCODL

TP Central Odisha Distribution Limited

TPNODL

TP Northern Odisha Distribution Limited

TPSODL

TP Southern Odisha Distribution Limited

TPWODL

TP Western Odisha Distribution Limited

CENTRALIZED CONTRACTS GROUP

NIT No.: TPCODL / CCG / 24-25 / 1000001334

ANNEXURE VIII: Safety Policy and Safety Terms & Conditions

Attached Separately with Tender

TPCODL

TP Central Odisha Distribution Limited

TPNODL

TP Northern Odisha Distribution Limited

TPSODL

TP Southern Odisha Distribution Limited

TPWODL

TP Western Odisha Distribution Limited

CENTRALIZED CONTRACTS GROUP

NIT No.: TPCODL / CCG / 24-25 / 1000001334

ANNEXURE IX: Tata Code of Conduct***Attached Separately with Tender******Also Refer: <https://www.tata.com/about-us/tata-code-of-conduct>***

CONFIDENTIAL

TPCODL

TP Central Odisha Distribution Limited

TPNODL

TP Northern Odisha Distribution Limited

TPSODL

TP Southern Odisha Distribution Limited

TPWODL

TP Western Odisha Distribution Limited

CENTRALIZED CONTRACTS GROUP

NIT No.: TPCODL / CCG / 24-25 / 1000001334

ANNEXURE X: Environment & Sustainability Policy**CORPORATE ENVIRONMENT POLICY**

Tata Power is committed to a clean, safe and healthy environment, and we shall operate our facilities in an environmentally sensitive and responsible manner. Our commitment to environmental protection and stewardship will be achieved by:

- Complying with the requirements and spirit of applicable environmental laws and striving to exceed required levels of compliance wherever feasible
- Ensuring that our employees are trained to acquire the necessary skills to meet environmental standards
- Conserving natural resources by improving efficiency and reducing wastage
- Making business decisions that aim towards sustainable development
- Engaging with stakeholders to create awareness on sustainability

Date: 15th June, 2018

(Praveer Sinha)
CEO & Managing Director

TATA POWER
Lighting up Lives!



TPCODL

TP Central Odisha Distribution Limited

TPNODL

TP Northern Odisha Distribution Limited

TPSODL

TP Southern Odisha Distribution Limited

TPWODL

TP Western Odisha Distribution Limited

CENTRALIZED CONTRACTS GROUP

NIT No.: TPCODL / CCG / 24-25 / 1000001334

ANNEXURE XI: Authorization Letter Format

(To be presented by the authorized person at the time of opening of Bid on the letter head of Bidder and should be signed by an Authorized Signatory with Name and Seal of the Company)

Chief - Central Contracts Group

Tata Power Odisha DISCOMs

Plot-29 Anuj Building

Satya Nagar Bhubaneswar

SUB: Tender for**Ref: Tender No..... dated.**

Dear Sir,

This has reference to your above Tender. Mr. / Miss / Mrs. _____

is hereby authorized to attend the bid opening of the above Tender on _____ on behalf of our organization.

The specimen signature is attested below:

Specimen Signature of Representative

Signature of Authorizing Authority

Name & Designation of Authorizing Authority

NOTE: This Authorization letter is to be carried at the time of Bid Opening

Property of CCG – Not to be reproduced without prior written permission of CCG (TP Odisha DISCOMs)

CENTRALIZED CONTRACTS GROUP

NIT No.: TPCODL / CCG / 24-25 / 1000001334

ANNEXURE XII: Instructions to Bidder for participation in ARIBA System

Step 1: Eligible and Interested bidder shall send an email to Package Owner (Ref. Clause 4.0 for details) attaching duly signed and stamped letter on Bidder's letterhead, with following details, expressing their intent to bid against above tender:

Sr No	Description	Bidder's Response
i)	Tender Enquiry No.	
ii)	Description of materials / Works Tendered	
iii)	Name and address of the bidding company	
iv)	Name of the authorized contact person	
v)	Contact No. of authorized person	
vi)	E-mail Id to which online ARIBA link to be sent	
vii)	Tender Fee details (Amount / NEFT-RTGS UTR No / Date) (Ref sec 1.2)	
viii)	GST No. of bidder	
ix)	MSME Certificate (if applicable)	
x)	Postal address of bidder for return of EMD BG	

E-mail must be sent to saurabh.kumar@tpwesternodisha.com with copy to umesh.bhardwaj7@tpcentralodisha.com on or before "Last date and time for payment of Tender Participation Fee".

Step 4: On receipt of the document as mentioned in Step 3 above and after due verification of the same, ARIBA link for participation in the tender will be sent to bidder's e-mail address from ARIBA system.

Step 5: In this e-mail online link as "[Click Here](#)" shall be there to access the event & participate in the tender.

Step 6: First time bidders need to **Sign Up** for accessing the event. Create User Name and password as mentioned in Sign Up page. A one-page registration screen will open for first time user. All * mark mandatory field to be filled in.

TPCODL

TP Central Odisha Distribution Limited

TPNODL

TP Northern Odisha Distribution Limited

TPSODL

TP Southern Odisha Distribution Limited

TPWODL

TP Western Odisha Distribution Limited

CENTRALIZED CONTRACTS GROUP

NIT No.: TPCODL / CCG / 24-25 / 1000001334

Those who already have User Name and password for accessing events, may LOGIN by using same User Name and password. (Bidder's user name and password for their other customer shall not be applicable for TPCODL / TPWODL / TPNODL / TPSODL).

Step 7: Post login, access the RFQ.

Step 8: After review and downloading of all documents click on **"Review Pre-requisites."**

Step 9: Review and accept **"Bidder Agreement"**.

Step 10: Tender document (PDF) can be downloaded from relevant section in Ariba Portal

Step 11: Technical Bid Submission: Bidder must attach pdf version of technical bid in section relevant to technical bid submission. Uploading any price-related information in this section shall lead to bidder rejection.

Step 12: Price Bid Submission: Price schedule as attached in relevant section must be downloaded. Price and tax details to be filled in as per the format. PDF version of duly filled price bid to be uploaded in relevant section. Price bid to be mandatorily signature & sealed by authorized person on Company letter head. For Price Bid put all the unit prices and taxes and duties in the provided field. Put "NA" in the not applicable field.

Step 13: After successfully uploading Techno commercial offer and price part, click - **"Submit Entire Response."**

Technical Specifications:

CONFIDENTIAL

STANDARD TECHNICAL SPECIFICATION COVER SHEET

Specification No. : ENG-HV-2006

**Specification Name : ENG-ELC-069- TECHNICAL SPECIFICATION FOR 11kV
XLPE COVERED CONDUCTOR**

JYOTIPRAKASH MOHANTY	SHANTAPRIYA JENA	SATYA PRASAD NAYAK	Ranjan Kumar Sahoo	VARUN BHATNAGAR	VARUN BHATNAGAR
Prepared by	Reviewed by	Reviewed by	Reviewed by	Approved by	Released by
TPWODL	TPNODL	TPCODL	TPSODL	TPWODL	TPWODL
10-12-2022	10-12-2022	12-12-2022	12-12-2022	13-12-2022	13-12-2022

*Property of TATA POWER ODISHA DISCOMs – Not to be reproduced without permission of TPCODL/ TPNODL/ TPSODL/
TPWODL*

CONTENTS

1. SCOPE
2. APPLICABLE STANDARDS
3. CLIMATIC CONDITIONS OF THE INSTALLATION
4. GENERAL TECHNICAL REQUIREMENTS
5. GENERAL CONSTRUCTIONS
6. MARKING
7. TESTS
8. TYPE TEST CERTIFICATES
9. PRE-DISPATCH INSPECTION
10. INSPECTION AFTER RECEIPT AT STORES
11. GUARANTEE
12. PACKING
13. TENDER SAMPLE
14. QUALITY CONTROL
15. TESTING FACILITIES
16. MANUFACTURING ACTIVITIES
17. SPARES, ACCESSORIES AND TOOLS
18. DRAWINGS AND DOCUMENTS
19. SCHEDULE "A" GUARANTEED TECHNICAL PARTICULARS
20. SCHEDULE "B" DEVIATIONS

1. SCOPE

This specification covers the technical requirements of design, manufacture, testing at manufacturer's works, packing, forwarding, supply and unloading at site/store of 11kV All Aluminum Alloy Stranded XLPE Covered Conductors. The material shall be complete with all components, which are necessary or usual for their efficient performance and trouble-free operation.

2. APPLICABLE STANDARDS

The equipment covered by this specification shall unless otherwise stated, be designed, manufactured and tested in accordance with the latest editions of the following Indian, International Standards and shall conform to the regulations of the local authorities:

Ref. IS	Description
IS 398:1996 (Part IV)	Specification for aluminum conductors for overhead distribution purpose
EN 50397-1:2006	Covered Conductor Specification for voltage 1KV to 33KV
IS: 10418	Reels and drums for bare conductors

3. CLIMATIC CONDITIONS OF THE INSTALLATION:

SL.NO.	CONDITONS	VALUES
1	Max. altitude above sea level	1000m
2	Max. Ambient Temperature	50 °C
3	Max. Daily average ambient temp	35 °C
4	Min Ambient Temp	0 °C
5	Maximum temperature attainable by an object exposed to sun	60 °C
6	Maximum Humidity	95%
7	Minimum Humidity	10%
8	Average No. of thunderstorm days per annum	70
9	Average Annual Rainfall	150 cm
10	Average No. of rainy days per annum	120
11	Thermal Resistivity of soil	150 Deg. Ccm/W
12	Wind Pressure	126 kg/sq. m up to an elevation of 10 meter.

14	Earthquakes of intensity in horizontal direction	equivalent to seismic acceleration of 0.3g
15	Earthquakes of intensity in vertical direction	equivalent to seismic acceleration of 0.15g
16	Wind velocity	300 km/hr.

Environmentally, some of the regions, where the work will take place include coastal areas, subject to high relative humidity, which can give rise to condensation. Onshore winds will frequently be salt laden. On occasions, the combination of salt and condensation may create pollution conditions for outdoor insulators. Some places are in heavily industrial polluted areas. Therefore,

Outdoor material and equipment shall be designed and protected for use in exposed, heavily polluted, salty, corrosive and humid coastal atmosphere.

The atmosphere is generally laden with mild acid and dust in suspension during the dry months and is subjected to fog in cold months. The design of equipment and accessories shall be suitable to withstand seismic forces as mentioned above.

4. GENERAL TECHNICAL REQUIREMENTS:

The XLPE covered conductor shall comply in all respect with IS: 398 (Part.4)/1996 with latest amendment, if any from the date of its applicability

Sl. No.	Technical Parameters	Desired Values				
1	Name of the manufacturer	To be furnished by Bidder				
2	Applicable Standard	EN 50397-1:2006, IS 398-IV/1994				
3	Type of Conductor	AAAC XLPE Covered Conductor				
4	Rated Voltage/Operating voltage	12kV/11kV				
5	Nominal Cross-sectional area of conductor	55	80	100	148	232
6	Conductor					
a)	Material	Aluminium Alloy (AAAC)				
b)	Shape	Stranded Circular and Watertight				
c)	No / diameter of wire (before stranding)	7x3.15	7x3.81	7x4.26	19x3.15	19x3.94
d)	Approx. conductor diameter	9.45 mm	11.43 mm	12.78 mm	15.75mm	19.70mm
e)	Max. D.C. Resistance at 20°C	0.621 Ω/Km	0.425 Ω/Km	0.339 Ω/Km	0.229 Ω/Km	0.1471 Ω/Km

f)	Resistance Temperature co-efficient	0.004 / °C	0.004 / °C	0.004 / °C	0.004 / °C	0.00004 / °C
g)	Minimum Tensile strength of conductor	16.03kN	23.41 kN	29.26 kN	43.50 kN	68.05 kN
7	Thickness and dimensions					
7.1	Conductor Screen					
a)	Material	Extruded Semi-Conducting Compound				
b)	Nominal Thickness	0.3 mm	0.3 mm	0.3 mm	0.3 mm	0.3 mm
7.2	Insulation inner layer					
a)	Material	Extruded XLPE				
b)	Nominal thickness	1.2 mm	1.2 mm	1.2 mm	1.2 mm	1.2 mm
7.3	Insulation Outer layer					
a)	Material	Track Resistance, UV Resistant and Erosion Resistance XLPE (Black)				
b)	Nominal thickness	1.1 mm	1.1 mm	1.1 mm	1.1 mm	1.1 mm
8	Lightening Impulse withstand strength of XLPE Layer	75kV	75kV	75kV	75kV	75kV
9	Approx. Overall Diameter	15 mm	16 mm	18 mm	21mm	25mm
10	Maximum continuous operating temperature	90 °C	90 °C	90 °C	90 °C	90 °C
11	Max short circuit current, 1 sec (KA)	5.17 kA	7.52 kA	9.4 kA	13.912 kA	21.808 kA
12	Approx. Weight	To be provided by bidder				
13	Standard Packing length	1000 (+/- 5%) as per PO terms				
14	Make of Raw Material	Conductor raw material shall be procured from reputed suppliers viz., BALCO/ HINDALCO/ NALCO/ Vedanta				

5. GENERAL CONSTRUCTIONS:

5.1 CONDUCTOR

a) The properties of stranded all aluminum alloy conductors of various sizes are as follows

Actual Area	Stranding & wire dia.	Approx. overall dia.	Approx. mass	Calculated resistance at 20 d.c. (max.)	Approx. calculated Breaking Load	Reactance per km	Current Rating
mm. sq.	mm	mm	Kg/km	Ohm/km	kN	Ohms	Amps
55	7/ 3.15	9.45	149.20	0.621	16.03	0.3556	234
80	7/ 3.81	11.43	218.26	0.425	23.41	0.3394	270
100	7/ 4.26	12.78	272.86	0.339	29.26	0.3394	325

b) The properties of aluminum alloy wires to be used in the construction of the Stranded

conductors are as follows:

Diameter		Cross sectional area of Nominal Diameter	Mass	Minimum Breaking Load after stranding	Resistance at 20 deg.c
Nom	Max				
mm	mm	Sq.mm	Kg	kN	Ohm/kM
3.15	3.18	7.793	21.04	2.29	4.290
3.81	3.85	11.40	30.78	3.34	2.938
4.26	4.30	14.25	38.48	4.18	2.345

- c) No negative tolerance shall be permitted on the nominal diameter aluminum wire used in the manufacture of XLPE COVERED CONDUCTOR. However, positive tolerance in this respect shall be as provided in IS: 398 (Part IV)/1994 (amended up to date).
- d) The wire shall be smooth and free from all imperfections such as spills, splits, slag inclusion, dia. marks scratches, fittings, blow holes, projections, looseness, overlapping of strands, chipping of aluminum layers etc. and all such other defects which may hamper the mechanical and electrical properties of the conductor. Special care should be taken to keep away dirt, grit etc. during stranding.
- e) There shall be no joint in any wire of a stranded conductor containing seven wires, except those made in the base rod or wire before final drawing.
- f) The wires used in the construction of a stranded conductor shall, before stranding satisfy all the relevant requirements of this standard.
- g) Conductor raw material shall be procured from reputed suppliers viz., BALCO/ HINDALCO/ NALCO/ Vedanta
- h) The lay ratio of the different layers shall be within the limits given below: -

No. of wires in Conductors	Lay Ratio in			
	6 - wire layer		12 - wire layer	
	Min.	Max.	Min.	Max.
7	10	14	-	-

5.2 FILLING (WATER BLOCKING):

The Stranded Conductor shall be longitudinally water tight by means of a water blocking material incorporated during the extrusion process. The use of grease/water swell able tape / water swell able powder etc. is not permitted. The water blocking material shall be stable at maximum operating conductor temperature of 90 Deg. Cent. The water blocking compound shall be compatible with the conductor material as well as the semi conducting screen layer above it and not adversely affect its electrical or mechanical properties.

5.3 SEMICONDUCTING SCREEN:

An extruded semi conductive compound should be applied over the filled stranded conductor to ensure a lower voltage stress on the Insulation applied over the screen.

5.4 INSULATIONS:

The Insulation should be dual layered with the Inner Layer being XLPE with a nominal thickness of 1.2 mm and the Outer Layer being a suitable XLPE which is UV Resistant, Anti Tracking and Erosion Resistant with a nominal wall thickness of 1.1 mm. The minimum combined Insulation Thickness of both Layers should be 2.3 mm.

The conductor manufacturing and stranding process shall incorporate the longitudinal water blocking also.

The Semiconducting Screen, Inner Insulation and Outer Insulation should be extruded in one step i.e. triple extrusion to ensure a good, permanent bond between the three layers and also with the conductor.

It shall be possible to remove the Semi Conducting Screen, Inner and Outer Insulation Layers without damage to the conductor.

6. MARKING:

The following particulars shall be properly legible embossed on the covered conductor at the intervals of not exceeding one meter throughout the length of the Conductor. The covered conductor with poor and illegible embossing shall be liable for rejection.

- a) Name & Trade mark of the manufacturer
- b) Voltage Grade
- c) Year of manufacture
- d) Size of Covered Conductor
- e) EN 50397-1: 2006
- f) PO Number
- g) "TPWODL/ TPCODL/ TPNODL/ TPSODL" Name

Note: - Sequential meter marking shall be printed (after each meter)

Following details shall be provided on flanges of drum:

- a) Manufacturer's name
- b) Type of Cable/Conductor
- c) Size of Cable/Conductor
- d) Voltage Grade
- e) Length of the cable/conductor on the drum
- f) Direction of the rotation of the drum

- g) Gross mass
- h) Country of manufacture
- i) Year and month of manufacture
- j) Purchase Order no.
- k) Drum No.

7. TESTS:

A type test shall be performed on every covered conductor type, irrespective of the cross-sectional area. All the type test, Routine test and acceptance test should be as per EN 50397-1:2006 and latest amendment. The bidder shall be required to submit complete set of the following test reports along with the offer: -

7.1 ACCEPTANCE TESTS

- a) Visual examination and Dimension Check Test
- b) Conductor Resistance Test
- c) High Voltage Test
- d) Spark Test
- e) Hot Set Test on covering
- f) Longitudinal Water Tightness Test
- g) Anti-tracking test
- h) Marking

7.2 ROUTINE TESTS

- a) Visual examination and Dimension Check Test
- b) Conductor Resistance Test
- c) High Voltage Test
- d) Spark Test
- e) Hot Set Test on covering
- f) Longitudinal Water Tightness Test
- g) Marking

7.3 TYPE TESTS

i) Electrical Test

- a) Conductor Resistance Test
- b) High Voltage Test
- c) Spark Test
- d) Leakage Test
- e) Tracking Resistance

ii) Non-Electrical Test on Covering

- a) Mechanical properties Test
- b) Carbon Black Content
- c) Resistance to UV rays
- d) Ageing of complete product sample
- e) Shrinkage Test
- f) Hot Set Test
- g) Pressure Test at High Temperature
- h) Water Absorbs Test
- i) Hardness Test
- j) Longitudinal Water Tightness Test
- k) Marking
- l) Slippage Test

iii) Visual examination and Dimension Check Test
iv) Mechanical properties of the conductor
8. TYPE TEST CERTIFICATES:

The Bidder shall furnish the type test certificates for the tests as mentioned above as per the corresponding standards. All the tests shall be conducted at CPRI / ERDA as per relevant IS/ IEC standard and as per CEA guidelines. Type tests should have been conducted in certified Test laboratories during the period not exceeding 10 years from the date of opening the bid. In the event of any discrepancy in the test reports, i.e. any test report not acceptable, same shall be carried out without any cost implication to TPWODL/ TPCODL/ TPNODL/ TPSODL.

9. PRE-DISPATCH INSPECTION:

The material shall be subject to inspection by a duly authorized representative of the TPWODL/ TPCODL/ TPNODL/ TPSODL. Inspection may be made at any stage of manufacture at the discretion of the purchaser and the equipment, if found unsatisfactory as to workmanship or material, the same is liable to rejection. Bidder shall grant free access to the places of manufacture to TPWODL/ TPCODL/ TPNODL/ TPSODL's representatives at all times when the work is in progress. Inspection by the TPWODL/ TPCODL/ TPNODL/ TPSODL or its authorized representatives shall not relieve the bidder of his obligation of furnishing equipment in accordance with the specifications. Material shall be dispatched after specific MDCC (Material Dispatch Clearance Certificate) is issued by TPWODL/ TPCODL/ TPNODL/ TPSODL.

Following documents shall be sent along with material.

- a) Test reports
- b) MDCC issued by TPWODL/ TPCODL/ TPNODL/ TPSODL
- c) Invoice in duplicate
- d) Packing list
- e) Drawings & catalogue
- f) Guarantee / Warrantee card
- g) Delivery Challan
- h) Other Documents (as applicable).

10. INSPECTION AFTER RECEIPT AT STORES:

The material received at TPWODL/ TPCODL/ TPNODL/ TPSODL, Odisha store will be inspected for acceptance and shall be liable for rejection, if found different from the reports of the pre-dispatch inspection and one copy of the report shall be sent to Engineering department.

11. GUARANTEE:

Bidder shall stand guarantee towards design, materials, workmanship & quality of process/ manufacturing of items under the contract for due and intended performance of the same, as an integrated product delivered under this contract. In the event any defect is found by the Company up to a period of 24 months from the date of commissioning or 30 months from the date of last supplies made under the contract, whichever is earlier, supplier shall be liable to undertake to replace/rectify such defects at his own costs. within mutually agreed timeframe, and to the entire satisfaction of the Company, failing which the Company will be at liberty to get it replaced/rectified at supplier's risks and costs and recover all such expenses plus the Company's own charges (@ 20% of expenses incurred), from the supplier or from the "Security cum Performance Deposit" as the case may be.

The bidder shall further be responsible for 'free replacement' for another period of THREE years from the end of guarantee period for any 'latent defects' if noticed by the company.

12. PACKING:

Supplier shall ensure that all the equipment covered under this specification shall be prepared for rail/road transport and be packed in such a manner so as to protect the equipment from damage in transit. The material used for packing shall be environmentally friendly. The bidder shall provide instructions regarding handling and storage precautions to be taken at site. The Conductor shall be wound on wooden/STEEL drums and packed in line with requirements of IS 10418-1982. The ends of the Conductor shall be sealed by means of non-hygroscopic sealing material. Heat or cold Shrinkable end caps with sealant shall be used for effectively sealing the

end terminals of the covered conductor. The inner diameter range of cap shall be such that it shall tightly fit to the covered conductors to prevent moisture ingress.

13. TENDER SAMPLE:

Bidder shall submit the sample of material during submission of Bids.

14. QUALITY CONTROL:

The bidder shall submit with the offer Quality Assurance Plan indicating the various stages of inspection, the tests and checks which will be carried out on the material of construction, components during manufacture and bought out items and fully assembled component and equipment after finishing. As part of the plan, a schedule for stage and final inspection within the parameters of the delivery schedule shall be furnished. The Purchaser's engineer or its nominated representative shall have free access to the manufacturer's/sub-supplier's works to carry out inspections. The bidder shall ensure that the material supplied is as per the Guaranteed Technical Particulars as specified in the specifications.

15. TESTING FACILITIES:

Bidder shall have adequate in-house testing facilities for carrying out all routine tests & acceptance tests as per relevant International / Indian standards.

16. MANUFACTURING ACTIVITIES:

The successful bidder will have to submit the bar chart for various manufacturing activities clearly elaborating each stage, with quantity. This bar chart should be in line with the Quality assurance plan submitted with the offer.

17. SPARES, ACCESSORIES AND TOOLS

Not applicable.

18. DRAWINGS AND DOCUMENTS

Following drawings and documents shall be submitted in line with the requirement of Tender specifications:

- a) Completely filled in Schedule "A" Guaranteed Technical Particulars & Schedule "B" Deviations
- b) Work Experience details
- c) Type test certificates.
- d) Drawing 1 set of Hard Copy & Soft copy PDF File containing complete information about manufacturing.

19. SCHEDULE- "A" GUARANTEED TECHNICAL PARTICULARS

Sl. No.	Technical Parameters	To Be Furnished By Bidder				
1	Name of the manufacturer					
2	Applicable Standard					
3	Type of Conductor					
4	Voltage Grade					
5	Nominal Cross-sectional area of conductor	55	80	100	148	232
6	Conductor					
a)	Material					
b)	Shape					
c)	No / diameter of wire (before stranding)					
d)	Approx. conductor diameter					
e)	Max. D.C. Resistance at 20°C					
f)	Resistance Temperature co-efficient					
g)	Minimum Tensile strength of conductor					
7	Thickness and dimensions					
7.1	Conductor Screen					
a)	Material					
b)	Nominal Thickness					
7.2	Insulation inner layer					
a)	Material					
b)	Nominal thickness					
7.3	Insulation Outer layer					
a)	Material					
b)	Nominal thickness					
8	Lightening Impulse withstand strength of XLPE Layer					
9	Approx. Overall Diameter					
10	Maximum continuous operating temperature					
11	Max short circuit current, 1 sec (KA)					
12	Approx. Weight					
14	Make of Raw Material					

20. SCHEDULE “B” DEVIATIONS:

TPC**ODL**
TPW**ODL**

TPN**ODL**
TPS**ODL**

Specification No: [ENG-HV-2006](#)

Specification Name:
TECHNICAL SPECIFICATION FOR 11kV XLPE
COVERED CONDUCTOR

(TO BE ENCLOSED WITH TECHNICAL BID)

All deviations from this specification shall be set out by the Bidders, clause by Clause in this schedule. Unless specifically mentioned in this Schedule, the tender shall be deemed to confirm the purchaser's specifications:

SL. No	Clause No.	Details of deviation with justifications

We confirm that there are no deviations apart from those detailed above.

Seal of the Company:

Signature

Designation

STANDARD TECHNICAL SPECIFICATION COVER SHEET

Specification No. : ENG-EHV-1009

**Specification Name : ENG-ELC-070- TECHNICAL SPECIFICATION FOR 33kV
XLPE COVERED CONDUCTOR- R1**

JYOTIPRAKASH MOHANTY	SHANTAPRIYA JENA	SATYA PRASAD NAYAK	Ranjan Kumar Sahoo	VARUN BHATNAGAR	VARUN BHATNAGAR
Prepared by	Reviewed by	Reviewed by	Reviewed by	Approved by	Released by
TPWODL	TPNODL	TPCODL	TPSODL	TPWODL	TPWODL
10-12-2022	10-12-2022	12-12-2022	12-12-2022	13-12-2022	13-12-2022

*Property of TATA POWER ODISHA DISCOMs – Not to be reproduced without permission of TPCODL/ TPNODL/ TPSODL/
TPWODL*



Specification No: [ENG-EHV-1009](#)

Specification Name:
TECHNICAL SPECIFICATION FOR 33kV XLPE
COVERED CONDUCTOR

CONTENTS

1. SCOPE
2. APPLICABLE STANDARDS
3. CLIMATIC CONDITIONS OF THE INSTALLATION
4. GENERAL TECHNICAL REQUIREMENTS
5. GENERAL CONSTRUCTIONS
6. MARKING
7. TESTS
8. TYPE TEST CERTIFICATES
9. PRE-DISPATCH INSPECTION
10. INSPECTION AFTER RECEIPT AT STORES
11. GUARANTEE
12. PACKING
13. TENDER SAMPLE
14. QUALITY CONTROL
15. TESTING FACILITIES
16. MANUFACTURING ACTIVITIES
17. SPARES, ACCESSORIES AND TOOLS
18. DRAWINGS AND DOCUMENTS
19. SCHEDULE "A" GUARANTEED TECHNICAL PARTICULARS
20. SCHEDULE "B" DEVIATIONS

1. SCOPE

This specification covers the technical requirements of design, manufacture, testing at manufacturer's works, packing, forwarding, supply and unloading at site/store of 33kV All Aluminum Alloy Stranded XLPE Covered Conductors. The material shall be complete with all components, which are necessary or usual for their efficient performance and trouble-free operation.

2. APPLICABLE STANDARDS

The equipment covered by this specification shall unless otherwise stated, be designed, manufactured and tested in accordance with the latest editions of the following Indian, International Standards and shall conform to the regulations of the local authorities:

Ref. IS	Description
IS 398:1996 (Part IV)	Specification for aluminum conductors for overhead distribution purpose
EN 50397-1:2006	Covered Conductor Specification for voltage 1kV to 33kV
IS : 10418	Reels and drums for bare conductors

3. CLIMATIC CONDITIONS OF THE INSTALLATION:

SL.NO.	CONDITONS	VALUES
1	Max. altitude above sea level	1200m
2	Max. Ambient Temperature	50 °C
3	Max. Daily average ambient temp	35 °C
4	Min Ambient Temp	0 °C
5	Maximum temperature attainable by an object exposed to sun	60 °C
6	Maximum Humidity	95%
7	Minimum Humidity	10%
8	Average No. of thunderstorm days per annum	70
9	Average Annual Rainfall	150 cm
10	Average No. of rainy days per annum	120
11	Thermal Resistivity of soil	150 Deg. Ccm/W

12	Wind Pressure	126 kg/sq. m up to an elevation of 10 meter.
14	Earthquakes of intensity in horizontal direction	equivalent to seismic acceleration of 0.3g
15	Earthquakes of intensity in vertical direction	equivalent to seismic acceleration of 0.15g
16	Wind velocity	300 km/hr.

Environmentally, some of the regions, where the work will take place include coastal areas, subject to high relative humidity, which can give rise to condensation. Onshore winds will frequently be salt laden. On occasions, the combination of salt and condensation may create pollution conditions for outdoor insulators. Some places are in heavily industrial polluted areas. Therefore,

Outdoor material and equipment shall be designed and protected for use in exposed, heavily polluted, salty, corrosive and humid coastal atmosphere.

The atmosphere is generally laden with mild acid and dust in suspension during the dry months and is subjected to fog in cold months. The design of equipment and accessories shall be suitable to withstand seismic forces as mentioned above.

4. GENERAL TECHNICAL REQUIREMENTS:

The XLPE covered conductor shall comply in all respect with IS: 398 (Part.4)/1996 with latest amendment, if any from the date of its applicability

Sl. No.	Technical Parameters	Desired Values		
1	Name of the manufacturer	To be furnished by Bidder		
2	Applicable Standard	EN 50397-1:2006, IS 398-IV/1994		
3	Type of Conductor	AAAC XLPE Covered Conductor		
4	Voltage Grade	36kV/ 33kV		
5	Nominal Cross-sectional area of conductor	100	148	232
6	Conductor			
a)	Material	Aluminium Alloy (AAAC)		
b)	Shape	Stranded Circular and Watertight		
c)	No / diameter of wire (before stranding)	7x4.26	19x3.15	19x3.94
d)	Approx. conductor diameter	12.78 mm	15.75 mm	19.7 mm

e)	Max. D.C. Resistance at 20°C	0.339 Ω/Km	0.229 Ω/Km	0.1471 Ω/Km
f)	Resistance Temperature co-efficient	0.004 / °C	0.004 / °C	0.004 / °C
g)	Minimum Tensile strength of conductor	29.26 kN	43.5 kN	68.05 kN
7	Thickness and dimensions			
7.1	Conductor Screen			
a)	Material	Extruded Semi-Conducting Compound		
b)	Nominal Thickness	0.4 mm	0.4 mm	0.4 mm
7.2	Insulation inner layer			
a)	Material	Extruded XLPE		
b)	Nominal thickness	2.43 mm	2.43 mm	2.43 mm
7.3	Insulation Outer layer			
a)	Material	Track Resistance, UV Resistant and Erosion Resistance XLPE (Black)		
b)	Nominal thickness	1.2 mm	1.2 mm	1.2 mm
8	Lightening Impulse withstand strength of XLPE Layer	170 KVp	170 KVp	170 KVp
9	Approx. Overall Diameter	20.5 mm	23.5 mm	28.1 mm
10	Maximum continuous operating temperature	90 °C	90 °C	90 °C
11	Max short circuit current, 1 sec (KA)	9.4kA	13.912kA	21.808kA
12	Approx. Weight	480 kg/km	700 kg/km	970 kg/km
13	Standard Packing length	1000 (+/- 5%) as per PO terms	1000 (+/- 5%) as per PO terms	1000 (+/- 5%) as per PO terms
14	Raw Material Make	Conductor raw material shall be procured from reputed suppliers viz., BALCO/ HINDALCO/ NALCO/ Vedanta		

5. GENERAL CONSTRUCTIONS:

5.1 CONDUCTOR

a) The properties of stranded all aluminum alloy conductors of various sizes are as follows

Actual Area	Stranding & wire dia.	Approx. overall dia.	Approx. mass	Calculated resistance at 20 d.c. (max.)	Approx. calculated Breaking Load	Reactance per km	Current Rating
mm. sq.	mm	mm	Kg/km	Ohm/km	kN	Ohms	Amps
100	7/ 4.26	12.78	272.86	0.339	29.26	0.3394	325
148	19/ 3.15	15.75	406.91	0.2290	43.50	0.3238	440
232	19 / 3.94	19.70	636.67	0.1471	68.05	0.3146	520

- b) The properties of aluminum alloy wires to be used in the construction of the Stranded conductors are as follows:

Diameter		Cross sectional area of Nominal Diameter	Mass	Minimum Breaking Load after stranding	Resistance at 20 deg.c
Nom	Max				
mm	mm	Sq.mm	Kg	kN	Ohm/kM
3.15	3.18	7.793	21.04	2.29	4.290
3.94	3.98	12.190	32.92	3.58	2.746
4.26	4.30	14.25	38.48	4.18	2.345

- c) No negative tolerance shall be permitted on the nominal diameter aluminum wire used in the manufacture of XLPE COVERED CONDUCTOR. However, positive tolerance in this respect shall be as provided in IS: 398 (Part IV)/1994 (amended up to date).
- d) The wire shall be smooth and free from all imperfections such as spills, splits, slag inclusion, dia. marks scratches, fittings, blow holes, projections, looseness, overlapping of strands, chipping of aluminum layers etc. and all such other defects which may hamper the mechanical and electrical properties of the conductor. Special care should be taken to keep away dirt, grit etc. during stranding.
- e) There shall be no joint in any wire of a stranded conductor containing seven wires, except those made in the base rod or wire before final drawing.
- f) In conductors containing more than seven wires, joints in individual wires are permitted in any layer except the outermost layer (in addition to those made in the brass rod or wire before final drawing) but no two such joints shall be less than 15 m apart in the complete stranded conductor, such joint shall be made by resistance or cold pressure butt welding. They are not required to fulfill the mechanical requirement of unjointed wires. Joints made by resistance butt welding shall, subsequent to welding, be annealed over a distance of at least 200 on each side of the joint.
- g) The wires used in the construction of a stranded conductor shall, before stranding satisfy all the relevant requirements of this standard.
- h) Conductor raw material shall be procured from reputed suppliers viz., BALCO/ HINDALCO/ NALCO/ Vedanta
- i) The lay ratio of the different layers shall be within the limits given below: -

No. of wires in Conductors	Lay Ratio in			
	6 - wire layer		12 - wire layer	
	Min.	Max.	Min.	Max.
7	10	14	-	-

19	10	16	10	14
----	----	----	----	----

5.2 FILLING (WATER BLOCKING):

The Stranded Conductor shall be longitudinally water tight by means of a water blocking material incorporated during the extrusion process. The use of grease/water swell able tape / water swell able powder etc. is not permitted. The water blocking material shall be stable at maximum operating conductor temperature of 90 Deg. Cent. The water blocking compound shall be compatible with the conductor material as well as the semi conducting screen above it and not adversely affect its electrical or mechanical properties.

5.3 SEMICONDUCTING SCREEN:

An extruded semi conductive compound should be applied over the filled stranded conductor to ensure a lower voltage stress on the Insulation applied over the screen.

5.4 INSULATIONS:

The Insulation should be dual layered with the Inner Layer being XLPE with a nominal thickness of 2.43 mm and the Outer Layer being a suitable XLPE which is UV Resistant, Anti Tracking and Erosion Resistant with a nominal wall thickness of 1.2 mm. The minimum combined Insulation Thickness of both Layers should be 3.63 mm.

The conductor manufacturing and stranding process shall incorporate the longitudinal water blocking also.

The Semiconducting Screen, Inner Insulation and Outer Insulation should be extruded in one step i.e. triple extrusion to ensure a good, permanent bond between the three layers and also with the conductor. It shall be possible to remove the Semi Conducting Screen, Inner and Outer Insulation Layers without damage to the conductor.

6. MARKING:

The following particulars shall be properly legible embossed on the covered conductor at the intervals of not exceeding one meter throughout the length of the Conductor. The covered conductor with poor and illegible embossing shall be liable for rejection.

- Name & Trade mark of the manufacturer
- Voltage Grade
- Year of manufacture
- Size of Covered Conductor
- EN 50397-1: 2006
- PO Number

- g) "TPWODL/ TPCODL/ TPNODL/ TPSODL" Name

Note: - Sequential meter marking shall be printed (after each meter)

Following details shall be provided on flanges of drum:

- a) Manufacturer's name
- b) Type of Cable/Conductor
- c) Size of Cable/Conductor
- d) Voltage Grade
- e) Length of the cable/conductor on the drum
- f) Direction of the rotation of the drum
- g) Gross mass
- h) Country of manufacture
- i) Year and month of manufacture
- j) Purchase Order no.
- k) Drum No.

7. TESTS

A type test shall be performed on every covered conductor type, irrespective of the cross-sectional area. All the type test, Routine test and acceptance test should be as per EN 50397-1:2006 and latest amendment. The bidder shall be required to submit complete set of the following test reports along with the offer: -

7.1 ACCEPTANCE TESTS

- a) Visual examination and Dimension Check Test
- b) Conductor Resistance Test
- c) High Voltage Test
- d) Spark Test
- e) Hot Set Test on covering
- f) Longitudinal Water Tightness Test
- g) Anti-tracking Test
- h) Marking

7.2 ROUTINE TESTS

- a) Visual examination and Dimension Check Test
- b) Conductor Resistance Test
- c) High Voltage Test
- d) Spark Test
- e) Hot Set Test on covering

- f) Longitudinal Water Tightness Test
- g) Marking

7.3 TYPE TESTS

i) Electrical Test

- a) Conductor Resistance Test
- b) High Voltage Test
- c) Spark Test
- d) Leakage Test
- e) Tracking Resistance

ii) Non-Electrical Test on Covering

- a) Mechanical properties Test
- b) Carbon Black Content
- c) Resistance to UV rays
- d) Ageing of complete product sample
- e) Shrinkage Test
- f) Hot Set Test
- g) Pressure Test At High Temperature
- h) Water Absorbs Test
- i) Hardness Test
- j) Longitudinal Water Tightness Test
- k) Marking
- l) Slippage Test

iii) Visual examination and Dimension Check Test

iv) Mechanical properties of the conductor.

8. TYPE TEST CERTIFICATES:

The Bidder shall furnish the type test certificates for the tests as mentioned above as per the corresponding standards and as per CEA guide line. All the tests shall be conducted at CPRI / ERDA as per relevant IS/ IEC standard. Type tests should have been conducted in certified Test laboratories during the period not exceeding 10 years from the date of opening the bid. In the event of any discrepancy in the test reports, i.e. any test report not acceptable, same shall be carried out without any cost implication to TPWODL/ TPCODL/ TPNODL/ TPSODL.

9. PRE-DISPATCH INSPECTION:

The material shall be subject to inspection by a duly authorized representative of the TPWODL/ TPCODL/ TPNODL/ TPSODL. Inspection may be made at any stage of manufacture at the

discretion of the purchaser and the equipment, if found unsatisfactory as to workmanship or material, the same is liable to rejection. Bidder shall grant free access to the places of manufacture to TPWODL/ TPCODL/ TPNODL/ TPSODL's representatives at all times when the work is in progress. Inspection by the TPWODL/ TPCODL/ TPNODL/ TPSODL or its authorized representatives shall not relieve the bidder of his obligation of furnishing equipment in accordance with the specifications. Material shall be dispatched after specific MDCC (Material Dispatch Clearance Certificate) is issued by TPWODL/ TPCODL/ TPNODL/ TPSODL. Following documents shall be sent along with material.

- a) Test reports
- b) MDCC issued by TPWODL/ TPCODL/ TPNODL/ TPSODL
- c) Invoice in duplicate
- d) Packing list
- e) Drawings & catalogue
- f) Guarantee / Warrantee card
- g) Delivery Challan
- h) Other Documents (as applicable).

10. INSPECTION AFTER RECEIPT AT STORES:

The material received at TPWODL/ TPCODL/ TPNODL/ TPSODL, Odisha store will be inspected for acceptance and shall be liable for rejection, if found different from the reports of the pre-dispatch inspection and one copy of the report shall be sent to Engineering department.

11. GUARANTEE:

Bidder shall stand guarantee towards design, materials, workmanship & quality of process/ manufacturing of items under the contract for due and intended performance of the same, as an integrated product delivered under this contract. In the event any defect is found by the Company up to a period of 24 months from the date of commissioning or 30 months from the date of last supplies made under the contract, whichever is earlier, supplier shall be liable to undertake to replace/rectify such defects at his own costs. within mutually agreed timeframe, and to the entire satisfaction of the Company, failing which the Company will be at liberty to get it replaced/rectified at supplier's risks and costs and recover all such expenses plus the Company's own charges (@ 20% of expenses incurred), from the supplier or from the "Security cum Performance Deposit" as the case may be.

The bidder shall further be responsible for 'free replacement' for another period of THREE years from the end of guarantee period for any 'latent defects' if noticed by the company.

12. PACKING:

Supplier shall ensure that all the equipment covered under this specification shall be prepared for rail/road transport and be packed in such a manner so as to protect the equipment from damage in transit. The material used for packing shall be environmentally friendly. The bidder shall provide instructions regarding handling and storage precautions to be taken at site. The Conductor shall be wound on wooden/STEEL drums and packed in line with requirements of IS 10418-1982. The ends of the Conductor shall be sealed by means of non-hygroscopic sealing material. Heat or cold Shrinkable end caps with sealant shall be used for effectively sealing the end terminals of the covered conductor. The inner diameter range of cap shall be such that it shall tightly fit to the covered conductors to prevent moisture ingress.

13. TENDER SAMPLE:

Bidder shall submit the sample of material during submission of Bids.

14. QUALITY CONTROL:

The bidder shall submit with the offer Quality Assurance Plan indicating the various stages of inspection, the tests and checks which will be carried out on the material of construction, components during manufacture and bought out items and fully assembled component and equipment after finishing. As part of the plan, a schedule for stage and final inspection within the parameters of the delivery schedule shall be furnished. The Purchaser's engineer or its nominated representative shall have free access to the manufacturer's/sub-supplier's works to carry out inspections. The bidder shall ensure that the material supplied is as per the Guaranteed Technical Particulars as specified in the specifications.

15. TESTING FACILITIES:

Bidder shall have adequate in-house testing facilities for carrying out all routine tests & acceptance tests as per relevant International / Indian standards.

16. MANUFACTURING ACTIVITIES:

The successful bidder will have to submit the bar chart for various manufacturing activities clearly elaborating each stage, with quantity. This bar chart should be in line with the Quality assurance plan submitted with the offer.

17. SPARES, ACCESSORIES AND TOOLS

Not applicable.

18. DRAWINGS AND DOCUMENTS

Following drawings and documents shall be submitted in line with the requirement of Tender

specifications:

- a) Completely filled in Schedule “A” Guaranteed Technical Particulars & Schedule “B” Deviations
- b) Work Experience details
- c) Type test certificates.
- d) Drawing 1 set of Hard Copy & Soft copy PDF File containing complete information about manufacturing.

19. SCHEDULE- “A” GUARANTEED TECHNICAL PARTICULARS

Sl. No.	Technical Parameters	To Be Furnished By The Bidder		
1	Name of the manufacturer			
2	Applicable Standard			
3	Type of Conductor			
4	Voltage Grade			
5	Nominal Cross-sectional area of conductor	100	148	232
6	Conductor			
a)	Material			
b)	Shape			
c)	No / diameter of wire (before stranding)			
d)	Approx. conductor diameter			
e)	Max. D.C. Resistance at 20°C			
f)	Resistance Temperature co-efficient			
g)	Minimum Tensile strength of conductor			
7	Thickness and dimensions			
7.1	Conductor Screen			
a)	Material			
b)	Nominal Thickness			
7.2	Insulation inner layer			
a)	Material			
b)	Nominal thickness			
7.3	Insulation Outer layer			
a)	Material			
b)	Nominal thickness			
8	Lightening Impulse withstand strength of XLPE Layer			
9	Approx. Overall Diameter			
10	Maximum continuous operating temperature			

TPCODL
TPWODL

TPNODL
TPSODL

Specification No: [ENG-EHV-1009](#)

Specification Name:
TECHNICAL SPECIFICATION FOR 33kV XLPE
COVERED CONDUCTOR

11	Max short circuit current, 1 sec (KA)			
12	Approx. Weight			
13	Standard Packing length			
14	Raw Material make			

20. SCHEDULE “B” DEVIATIONS:

(TO BE ENCLOSED WITH TECHNICAL BID)

All deviations from this specification shall be set out by the Bidders, clause by Clause in this schedule. Unless specifically mentioned in this Schedule, the tender shall be deemed to confirm the purchaser's specifications:

SL. No	Clause No.	Details of deviation with justifications

We confirm that there are no deviations apart from those detailed above.

Seal of the Company:

Signature

Designation



SUPPLIER MANUAL ANSWERING TO E-BIDDING

	Version 1.2
Company Confidential	DEC - 2020

INDEX

1 ACCESSING Ariba SOURCING	3
2 VENDOR SCREEN.....	4
<i>2.1.1 Review and Approve “Prerequisites”</i>	<i>5</i>
<i>2.1.2 Select Items or Lots</i>	<i>6</i>
<i>2.1.3 Entering Your Prebid</i>	<i>6</i>
2.1.4.1 How to submit a price.....	9
3 COMMUNICATING WITH TATA POWER BUYER DURING E-BIDDING.....	7
4 Ariba TRAINING AND Ariba SUPPORT	8
5 SUPPLIER FREQUENTLY ASKED QUESTION	11


1- Accessing Ariba Sourcing

Step 1: You will get an invitation to your email from Ariba System. Keep this email, it contains your login Information and a direct link to Ariba.

Step 2: Click "Click Here" to access the Ariba Web Site.



Step 3: Supplier has to click on "Continue"



Step 4: The registration process only takes a few moments, with a simple one-page registration Define your password and secret question. Click "OK"

Company Name: KIRTI CONSTRUCTION

Country: India [IND]

Address: Yashodeep E3- 08
Sector 22 Koperkharne Navi Mumbai
400709

City: mumbai

State: maharashtra

Postal Code: 400709

Product and Service Categories: Enter Product and Service Categories [Add](#) -or- Browse

Ship-to or Service Locations: Enter Ship-to or Service Location [Add](#) -or- Browse

Tax ID: Optional Enter your Company Tax ID number.

DUNS Number: Optional Enter the nine-digit number issued by Dun & Bradstreet.

Supplier has to fill the form

Step 5: If it's the first time you are invited to use UPM Ariba, you'll need to accept the "Participant Terms". Select "I accept the terms of this agreement". Click "Submit".

The registration form includes the following elements:

- A password field with a strength indicator (*****).
- A "Secret Question" dropdown menu with the option "In what city was your mother born?". A note states: "The answer to your secret question must be atleast 5 characters."
- Two additional input fields, each with a strength indicator (*****).
- A "Language" dropdown menu set to "English". A note states: "The language used when Ariba sends you configurable notifications. This is different than your web b..."
- A paragraph of legal text regarding company profile visibility and data consent.
- A checkbox labeled "I have read and agree to the Terms of Use and the Ariba Privacy Statement", which is checked and highlighted with a red border.
- "Submit" and "Cancel" buttons at the bottom right.

2 Vendor Screen - Submitting Your Answers / Proposal

2.1.1 If vendor goes through mail invitation then directly Screen 3.1.1 will appear, but if If you have used Ariba before and have already accessed an event for the buyer-specific account with your current log in ID, click the **Login** button to continue. Log in with your Ariba username and password in order to participate in the event OR you have to follow the following steps.

Step 1 - Log on supplier.ariba.com

Step 2 - Put your USER ID and Password in following screen

The screenshot shows the "Supplier Login" page for SAP Ariba Proposals. The page features the SAP Ariba logo and the text "Powered by Ariba Sourcing". The login section includes:

- Fields for "User Name" and "Password".
- A blue "Login" button.
- A link for "Forgot Username or Password".
- A link for "Need help? See Quick Start".

On the right side of the page, there is a laptop displaying a dashboard with various charts and data visualizations.

Step 3 - Go to "Ariba Proposals & Questionnaire".

The screenshot shows the Ariba Sourcing homepage. A blue oval annotation points to the 'Ariba Proposals and Questionnaire' link in the top navigation bar, with the text: "Goto 'Ariba Proposals & Questionnaire' after logging in at supplier.ariba.com". Another blue oval annotation points to the 'Events' table, with the text: "Events (Tender enquiries) in which Bidder has participated shall be visible. Click and enter into any specific event".

Events

Title	ID	End Time	Event Type
Status: Open (2)			
Maintenance of HT and LT Networks for Tata Power Sistribution at Odisha (TPC-ENG-ENQ-016-20-21)	Doc2416130949	6/4/2020 4:55 PM	RFP
Tender Documents-Meter Reading Cum Spot billing and Bill Distribution(TPC-ENG-ENQ-015-20-21)	Doc2420255101	6/4/2020 3:00 PM	RFP

The screenshot shows the 'Event Details' page for Doc2420255101 - Tender Documents-Meter Reading Cum Spot bill... A blue oval annotation points to the 'Review Prerequisites' button, with the text: "Click on 'Review Prerequisites'".

Event Details

Doc2420255101 - Tender Documents-Meter Reading Cum Spot bill...

Time remaining: 8 days 03:36:25

Review and respond to the prerequisites. Prerequisite questions must be answered before you can view event content or participate in the event. Some prerequisites may require the owner of the event to review and accept your responses before you can continue with the event. If you decline the terms of the prerequisites, you cannot view the event content or participate in this event.

Download Content Review Prerequisites Decline to Respond Print Event Information

Review the terms of the prerequisites. If you agree, click on 'Review Prerequisites'. If you decline, click on 'Decline to Respond'.

Tender Documents

1. Review Event Details

2. Review and Accept Prerequisites

3. Submit Response

Event Contents

All Content

1 Tender Documents

2 Techno Commercial Bid

1.1 Introduction

1.1.1 Introduction

As per the Notice Inviting Tender dated 12th May 2020, Bidders are to download Tender from Tata Power website (Tenders section). Same Tender documents are attached in this E-tender enquiry for reference purpose.

As mentioned in the Procedure for participating in tender (which is enclosed with the tender documents), this e-Tender enquiry is being issued to the bidders who have purchased the tender documents following instructions therein.

All future/further communications wrt the subject tender and Bid submission shall be through this e-Enquiry only. Following is to be noted,

Next Section: Techno Commercial Bid

Tata Power - Ariba Spend Manag

s1.ariba.com/Sourcing/Main/aw7a...

Checklist

1. Review Event Details
2. Review and Accept Prerequisites
3. Submit Response

Prerequisites must be completed prior to participation in the event.

In consideration of the opportunity to participate in on-line events ('On-Line Events') held and conducted by the company sponsoring this On-Line Event ('Sponsor') on the web site (this 'Site') hosted by Ariba, Inc. ('Site Owner'), your company ('Participant' or 'You') agrees to the following terms and conditions ('Bidder Agreement').

- 1. Bids.** If you are invited to participate in the On-Line Event, Sponsor reserves the right to amend, modify or withdraw this On-Line Event. Sponsor reserves the right to accept or reject all or part of your proposal. Submission of a bid does not create a contract or any expectation by Participant of a future business relationship. Rather, by submitting a bid, you are making a firm offer which Sponsor may accept to form a contract, subject to section 2 below. Sponsor is not liable for any costs incurred by Participant in the preparation, presentation, or any other aspect of Participant's bid.
- 2. Price Quotes.** Except to the extent Sponsor allows a non-binding bid, all Bids which Participant submits through the On-Line Events are legally valid quotations without qualification, except for data entry errors.
- 3. Procedures and Rules.** Participant further agrees to be bound by the procedures and rules established by the Site and Sponsor.
- 4. Confidentiality.** Participant shall keep all user names and passwords, the On-Line Event content, other confidential materials provided by the Site and/or Sponsor, and all bids provided by You or another participating organization in confidence and shall not disclose the foregoing to any third party.
- 5. Bids through Site only.** Participant agrees to submit bids only through the on-line bidding mechanism supplied by the Site and not to submit bids via any other mechanism including, but not limited to, post, courier, fax, E-mail, or orally unless specifically requested by Sponsor.
- 6. Ethical Conduct.** All parties will prohibit unethical behavior and are expected to notify the Site Owner by contacting the appropriate project team if they witness practices that are counter-productive to the fair operation of the On-Line Event. If Participant experiences any difficulties during a live On-Line Event, Participant must notify Site Owner immediately.
- 7. Survival.** The terms and conditions of this Bidder Agreement shall survive completion of the On-Line Event.

BA v1.1 19Aug05

☒ I accept the terms of this agreement.

☐ I do not accept the terms of this agreement.

Accept the Terms of Agreement and Submit

Tata Power - Ariba Spend Manag

s1.ariba.com/Sourcing/Main/aw7a...

Console

Doc2420255101 - Tender Documents-Meter Reading Cum Spot bill...

8 days 03:33:47

Event Messages
Response History
Response Team

Checklist

1. Review Event Details
2. Review and Accept Prerequisites
3. Submit Response

Event Contents

All Content

1 Tender Documents

2 Techno Commercial Bid

3 Price Bid

All Content

2.1 Please attach the Techno-Commercial bid

2.2 Please attach your techno commercial offer (Extra File)

3 Price Bid

3.1 Bidder to specify the prices either in terms of percentage (%) or Value where the options are available for both percentage (%) , please Specify Zero (0) in the amount field and vice-versa.

3.2 Bidders to download editable copy of Price bid format (Which is attached herewith), and re-attach the same after filling in prices as their Price Bid. No Alterations/changes shall be made by the bidders in this format as requested.

References

(*) indicates a required field

Submit Entire Response

Update Totals

Excel Import

Technical Bid to be attached in Tab 2.1 and 2.2. Attach file link is towards extreme right, and is shown in next slide

Price Bid to be attached in Tab 3.2. Attach file link is towards extreme right, and is shown in next slide

Divendra Sharma (desharma@gmail.com) last visited 26 May 2020 10:55:18 PM. Horizons Cybersoft Ltd. AN01523824134
© 1996-2019 Ariba, Inc. All rights reserved.

SAP Ariba Privacy Statement Security Disclosure Terms of Use

These are "Attach File" links for Tab 2.1 and 2.2 where Technical bid is to be attached. Pls attach files in BOTH these tabs otherwise it will show error on submission.

This is "Attach File" link for Tab 3.2 (Price Bid).

Click On "Submit Entire Response" AFTER Attaching technical and Price bids as above.

Note: In case of multiple files, all files can be kept in one folder and folder can be converted to zip file for attaching

terms of percentage (%) or Value where the options are available for both. In case price is specified in 0) in the amount field and vice-versa.

h is part of Annexure I of Tender/attached herewith, and re-attach the same after filling in prices as their Price Bid. mat apart from entering their rates/prices/taxes as requested.

(*) indicates a required field

Submit Entire Response Update Totals Save draft Excel Import

3 Communicating with Tata Power Buyer during e- bidding

Step 1: Click "Compose Message".

Submit Entire Response Update Totals Save draft **Compose Message** Excel Import

Step 2: Compose Your Message and click "Send".

back to The Tata Power Company Limited-TEST Dashboard Desktop File Sync Notifications

Compose New Message

From: shingare.manufacturers (Ravi Shingare)

To: Project Team

Subject: Dec681345837 sourcing project 001

Attachments: attach a file

Send Cancel

User Sir,

Can we submit the price ??

Regards

ABC


ARIBA TRAINING VIDEOS

Participating in a RFI or RFP on Ariba Network - https://www.youtube.com/watch?v=9_XXUaVyI7o


Support from Ariba - Supplier can raise the Ticket for “Support”

Here are the steps that Suppliers can follow for raising a ticket or requesting a call back from Support team. They can do so without logging in – pls follow the brief instructions given below.

1. Go to login page>Choose “Support” on the bottom right corner



2. Add query and press “Start” – After that, following screen will pop up where you can choose either Get Help by Email or Get Help by Phone.



3. Choose phone and add following basic details and you will get call back

Waiting for response from uex.ariba.com.- - Microsoft Edge

https://uex.ariba.com/au/support-center/email-webform?channel=callme

Cx Central Fiori Athena S1 Ariba ASN Connect Release Readiness Smart Sheet Success Factors L&D CRM Totango Knowledge

SAP Ariba Phone Support

Provide the following information, and the next available specialist will call you.

Problem Description

Short Description:

Contact Information

First Name:

Last Name:

Company:

Email:

Requested Language: **English** [Select a different language from the Home tab.](#)

Phone: Extension:

Confirm Number:

☐ My phone number is correct.

☐ Do not record this phone call.

Ariba Network ID:

☐ I agree

* Required Fields

4:57 PM 6/9/2019

If not by phone, they can ask for a response/support by email.

[illegible]

SUPPLIER-FREQUENTLY ASKED QUESTIONS

 **If I registered on my buyer's Ariba Sourcing site in the past, do I need to register again?**

Answer- Yes. Although you have registered on your buyer's Ariba Sourcing site in the past, registering on the Ariba Commerce Cloud is required. The registration process only takes a few moments, with a simple one-page registration. Registering on the Ariba Commerce Cloud gives you access to all your buyer relationships with one username and password.

What is the Ariba Commerce Cloud?

Answer: - The Ariba Commerce Cloud is your entry point to all of your seller solutions. Rather than managing log in information for multiple buyers' sites, you will have one log in and one account. This means fewer passwords to remember, easier user maintenance for your company, and a unified profile for your organization.

Do I need to add Product and Service Categories during registration?

Answer:-Yes; this is a required field. Product and Service Categories classify what your company sells, and the system uses this information to match potential business opportunities with your products and services.

Click **Add Product and Service Categories** to select one or more categories from the list of options. During registration, you only need to choose one category, preferably related to the event you are joining. You can add, refine, or remove categories any time after the registration process.

Do I need to add ship-to or service locations during registration?

Answer: - **Yes**; this is a required field. Ship-to or Service locations inform buyers where your company sells its products or provides its services, and the system uses this information to match potential business opportunities with your products and services.

Click **Add Ship-to or Service Locations** to select one or more sales territories from a list. You can add, refine, or remove ship-to or service locations any time after the registration process.

Additional Information: - D-U-N-S is a registered trademark of Dun & Bradstreet or its subsidiaries in the United States and other countries.

What is the difference between the Email and Username fields in my profile?

Answer: - The Email field represents the email address where you wish to receive email notifications. The Username field is the identifier that you use to access your account. The Username field must be in email format, but you do not have to use a valid email address.

Note: Leave the **This is my username** box checked if you want your email address to be the same as your username.

How do I participate in my buyer's event using an email invitation?

Answer: - Use the **Click here** link in the email notification to access the sourcing event.

While buyers might customize the email content you receive, all email invitations contain a link to access the event.

Depending on your previous experience with Ariba solutions, do one of the following to access the event after you click the link:

- If you are new user, click **Continue** on the welcome page. You continue to register an Ariba account to link with your buyer and participate in the event.
- If you have used Ariba before and have already accessed an event for the buyer-specific account with your current log in ID, click the **Login** button to continue. Log in with your Ariba username and password in order to participate in the event.
- If you already have an existing Ariba Network, Ariba Discovery, or Ariba Sourcing supplier account, but you have not accessed any events for the inviting buyer's site, use the **Click here if you already have an Ariba Commerce Cloud, Ariba Discovery or Ariba Network account** link. After clicking the link, log in with your existing account to move your information to your buyer's site.

Additional Information:- Registering an Ariba account provides you with a consolidated view of all your customer relationships. With this one profile, you can view business opportunities, participate in sourcing events, participate in contract negotiations, and manage orders, catalogs, and invoices.

Why doesn't the link in the email invitation to participate in a sourcing event work?

Answer:-If you cannot click the link, or the link does not open the log in page, highlight and copy the Uniform Resource Locator (URL), and then paste the URL into your web browser.

Can my company have multiple accounts?

Answer:-Your Company can have multiple Ariba accounts, depending on your business needs. For example, if your company has several locations around the world, you might want a separate account for each region.

Most companies choose to have one account with multiple customer relationships, which provides a centralized location to maintain their company profile information and all of their customer relationships.

How do I complete registration if my username already exists?

Answer: - This message means that you already have an Ariba Network, Ariba Discovery, or Ariba Sourcing supplier account registered under username you entered. You can either register a new account by creating a new username, or access one of the following sites to request a password reset for the registered username:

- [Ariba Network](#) (This login page is used for all Ariba Network, Ariba Sourcing, or Ariba Contracts suppliers).
- [Ariba Discovery login page](#)

To reset your password, click the **Having trouble logging in?** Link on the Login page.

Nothing happens when I click Forgot Username and enter my email address

Issue: - Nothing happens when I click the **Forgot Username** link and enter my email address.

Cause: - After you submit your request to retrieve your username, the Ariba Network sends an email notification with usernames that match the email address you submitted.

Some possible reasons why you may not receive this username retrieval email notification:

- The email address on your account does not match the email address you entered when submitting the request.
- Your buyer-specific account was deactivated before you could move it to the Ariba Commerce Cloud. Generally, that means you probably have not participated in an event with that buyer for a while.

Solution: -

- To ensure you receive this email notification:
- Make sure you type the email address configured within your account.

If your buyer-specific account has been deactivated, contact your buyer to determine how to proceed.

Where is my password reset email?

Answer: - After you submit your request for a password reset, Ariba sends instructions to the email address associated with your account. If you didn't receive a password reset email, check the following scenarios to troubleshoot.

The username you entered is in the wrong format, or it isn't associated with the email address you are checking.

- Keep in mind, your username is in the format of a full email address, but it can be associated with any email address you entered previously.
- Your username is also case-sensitive.
- To confirm that you are using the correct username and format, return to the Ariba login page, and click the **Having trouble logging in?** link (**Forgot Username** if you're working in Ariba Discovery).
 - Choose **I forgot my username**, and click **Continue**.
 - Enter the email address associated with your account, and click **Submit**.

- You will receive an email that lists the exact format of the username associated with the email you entered.

You entered the correct username, but you still didn't receive the password reset email notification.

- This can occur if the configured email address is different from the account you are checking.
- You might have multiple accounts for your company, so make sure you are attempting to access the correct account.

Your email configuration or company's security settings might also prevent you from receiving the password reset email. To find out, check your junk mail folder or email filter settings to verify that automated emails from Ariba are not blocked from your email account.

 **Why do I get this message on the SAP Ariba Login page: "The username and password pair you entered was not found"?**

Answer: - You entered an incorrect **Username** or **Password**. You might receive this message if you entered a previous **Username** or **Password**. Remember that your **Username** has the format of an email address, and both the **Username** and **Password** are case sensitive.

Click the **Having trouble logging in?** Link on the Login page if you don't remember your log in information.



TP Central Odisha Distribution Limited



TP Northern Odisha Distribution Limited



TP Southern Odisha Distribution Limited



TP Western Odisha Distribution Limited

CENTRALIZED CONTRACTS GROUP

For Reference- User Manual e-Bidding & Auction (Ariba)