

RC for LAN work at TPWODL, TPNODL & TPSODL							
Pre-bid Queries							
Sl. No.	Section No.	Clause No.	Page No.	RFP Clause	Queries/Change Request	Clarification	TPNODL Response
1	2.0 Pre- Qualification Criteria	B. Financial Pre-Qualification Requirements/ Sl. No. 2/ Experience	11	a) The bidder should have executed similar works / cyber security for a single order value of Rs. 1 Cr. or Rs. 4 Cr. for cumulative orders (Maximum 5 orders) during the last 3 years	There is no requirement of cyber security work in the LAN Work Project. So request you to please amend the clause.		The clause can be read as "The bidder should have executed similar works for a single order value of Rs. 1 Cr. or Rs. 4 Cr. for cumulative orders (Maximum 5 orders) during the last 3 years"
2	13.0 Post Award Contract Administration/ 13.1 Special Conditions of Contract	5. Delivery Period: / Sl No. 1	22	1. LAN installation up to 10 points and other Installations as per the SOW - 10 days	Kindly amend "LAN installation up to 10 points and other Installations as per the SOW - 15 to 20 days "		Tender Clause Stands
3	13.0 Post Award Contract Administration/ 13.1 Special Conditions of Contract	5. Delivery Period: / Sl No. 2	22	2. LAN installation up to 11-20 points and other Installations as per the SOW - 15 Days	Kindly amend "LAN installation up to 11-20 points and other Installations as per the SOW - 20 to 30 Days "		Tender Clause Stands
4	13.0 Post Award Contract Administration/ 13.1 Special Conditions of Contract	5. Delivery Period: / Sl No. 3	22	3. LAN installation more than 21 points/Project work and other Installations as per the SOW - 20 days	Kindly amend "LAN installation more than 21 points/Project work and other Installations as per the SOW - 30 to 40 days "		Tender Clause Stands
5				9 U Wall mount rack with all mounting accessories(Includes Power strip)	Please Include the Brand as Legrand / Tata Trinox / Comrax as they're fully complied, Reputted Brand and ISO Certified Company s per the BOQ		Partially accepted: The recommended make for 9 U Wall mount rack with all mounting accessories(Includes Power strip) will be Tata Trinox/ Netrack/ Valrack/WD . Also vendor should provide the quality certificate along with 100 % compliance of the technical specification as per RFP.
6				12 U Wall mount rack with all mounting accessories (Includes 5A&15A dual type with 16A MCB / 08 pin DC Power strip with 20Amp MCB)	Please Include the Brand as Legrand / Tata Trinox / Comrax as they're fully complied, Reputted Brand and ISO Certified Company s per the BOQ		Partially accepted: The recommended make for 12 U Wall mount rack with all mounting accessories (Includes 5A&15A dual type with 16A MCB / 08 pin DC Power strip with 20Amp MCB) will be Tata Trinox/ Netrack/ Valrack/WD . Also vendor should provide the quality certificate along with 100 % compliance of the technical specification as per RFP.
7				15 U Wall mount rack	Please Include the Brand as Legrand / Tata Trinox / Comrax as they're fully complied, Reputted Brand and ISO Certified Company s per the BOQ		Partially accepted: The recommended make for 15 U Wall mount rack will be Tata Trinox/ Netrack/ Valrack/WD . Also vendor should provide the quality certificate along with 100 % compliance of the technical specification as per RFP.
8				42 U Network, Server Rack & AC Dual power strip (10Nos. female socket each) with all accessories (Should support HP/DELL/Lenovo servers & Network Equipments)	Please Include the Brand as Legrand / Tata Trinox / Comrax as they're fully complied, Reputted Brand and ISO Certified Company s per the BOQ		Partially accepted: The recommended make for 42 U Network, Server Rack & AC Dual power strip (10Nos. female socket each) with all accessories (Should support HP/DELL/Lenovo servers & Network Equipments) will be Tata Trinox/ Netrack/ Valrack/WD . Also vendor should provide the quality certificate along with 100 % compliance of the technical specification as per RFP.
9				Rack AC PDU's 5Nos. female socket —Indian standard Round Pin 5A/15A dual type with 16A MCB	Please Include the Brand as Legrand / Tata Trinox / Comrax as they're fully complied, Reputted Brand and ISO Certified Company s per the BOQ		Partially accepted: The recommended make for Rack AC PDU's 5Nos. female socket —Indian standard Round Pin 5A/15A dual type with 16A MCB will be Tata Trinox/ Netrack/ Valrack/WD . Also vendor should provide the quality certificate along with 100 % compliance of the technical specification as per RFP.
10				Rack AC PDU's 6Nos. female socket —Indian standard Round Pin 5A/15A dual type with 32A MCB	Please Include the Brand as Legrand / Tata Trinox / Comrax as they're fully complied, Reputted Brand and ISO Certified Company s per the BOQ		Partially accepted: The recommended make for Rack AC PDU's 6Nos. female socket —Indian standard Round Pin 5A/15A dual type with 32A MCB will be Tata Trinox/ Netrack/ Valrack/WD . Also vendor should provide the quality certificate along with 100 % compliance of the technical specification as per RFP.
11				Rack DC PDU's 8Nos. Pin socket with 20A MCB	Please Include the Brand as Legrand / Tata Trinox / Comrax as they're fully complied, Reputted Brand and ISO Certified Company s per the BOQ		Partially accepted: The recommended make for Rack DC PDU's 8Nos. Pin socket with 20A MCB will be Tata Trinox/ Netrack/ Valrack/WD . Also vendor should provide the quality certificate along with 100 % compliance of the technical specification as per RFP.
12				Rack PDU's 24Nos. socket- 1Ph, 230V, 32A, Zero U standard rack mount power distribution unit with 20 X C13 & 4 X C 19 Inlet Plug (Inlet Plug Not Installed, Recommended IEC30932A 2P+E), 1A MCB X 2 Circuits.	Please Include the Brand as Legrand / Tata Trinox / Comrax as they're fully complied, Reputted Brand and ISO Certified Company s per the BOQ		Partially accepted: The recommended make for Rack PDU's 24Nos. socket- 1Ph, 230V, 32A, Zero U standard rack mount power distribution unit with 20 X C13 & 4 X C 19 Inlet Plug (Inlet Plug Not Installed, Recommended IEC30932A 2P+E), 1A MCB X 2 Circuits. will be Tata Trinox/ Netrack/ Valrack/WD . Also vendor should provide the quality certificate along with 100 % compliance of the technical specification as per RFP.
13				24 Port CAT 6 Patch Panel fully loaded	Please confirm the list of OEM to clarify the quality of the product or provide technical specification		The recommended make for 24 Port CAT 6 Patch Panel fully loaded will be Comscope/ D-Link/Molex and it should be compatible with the rack
14				48 Port CAT 6 Patch Panel fully loaded	Please confirm the list of OEM to clarify the quality of the product or provide technical specification		The recommended make for 48 Port CAT 6 Patch Panel fully loaded will be Comscope/ D-Link/Molex and it should be compatible with the rack
15				Keystone Jack CAT 6 (I/O)	Please confirm the list of OEM to clarify the quality of the product or provide technical specification		The recommended for Keystone Jack CAT 6 (I/O) suggested OEM will be Comscope/ D-Link/Molex should be compatible with the rack
16				Plug 8 Conductor Modular (RJ45 for CAT6) with socket cap.	Please confirm the list of OEM to clarify the quality of the product or provide technical specification		The recommended for Plug 8 Conductor Modular (RJ45 for CAT6) with socket cap. suggested OEM will be Comscope/ D-Link/Molex should be compatible with the rack
17				Patch Cord CAT 6 Giga Speed 01mtr. Long	Please confirm the list of OEM to clarify the quality of the product or provide technical specification		The recommended for patch cord suggested OEM will be Comscope/ D-Link/Molex should be compatible with the rack
18				Patch Cord CAT 6 Giga Speed 02mtr/3mtr. Long	Please confirm the list of OEM to clarify the quality of the product or provide technical specification		The recommended for patch cord suggested OEM will be Comscope/ D-Link/Molex should be compatible with the rack
19				Patch Cord CAT 6 Giga Speed 05mtr. Long	Please confirm the list of OEM to clarify the quality of the product or provide technical specification		The recommended for patch cord suggested OEM will be Comscope/ D-Link/Molex should be compatible with the rack
20				Patch Cord CAT 6 10Giga Speed 10mtr. Long	Please confirm the list of OEM to clarify the quality of the product or provide technical specification		The recommended for patch cord suggested OEM will be Comscope/ D-Link/Molex should be compatible with the rack
21				Patch Cord CAT 6 10Giga Speed 15mtr. Long	Please confirm the list of OEM to clarify the quality of the product or provide technical specification		The recommended for patch cord suggested OEM will be Comscope/ D-Link/Molex should be compatible with the rack

22				Cable CAT6 LSZH class Size 4 pair	Please confirm the list of OEM to clarify the quality of the product or provide technical specification	The Bidder should supply the material of any standard specification which is ISO certified and of good quality
23				CAT6 Shielded (STP) 4 Pair	Please confirm the list of OEM to clarify the quality of the product or provide technical specification	The Bidder should supply the material of any standard specification which is ISO certified and of good quality
24				PVC Channel/Conduit/ flexible pipe	Please provide the dimentions of the PVC Channel/Conduit/ flexible pipe	Dimension should be of 25mm suggested OEM will be MODI and color should be white
25			ANNEXURE-I : Price Schedule	1" Casing Pipe 6 Feet length"	required specirification with dimension	The Bidder should supply the material of any standard specification which is ISO certified and of good quality
26			ANNEXURE-I : Price Schedule	1" PVC white Conduit Pipes 6 Feet"	required specirification (Generally 10" pipe available in market)	Dimension should be of 25mm suggested OEM will be MODI/ FINOLEX and color of the PVC pipe should be white
27			ANNEXURE-I : Price Schedule	1" PVC white C Bend pipe"	required specirification	Dimension should be of 25mm suggested OEM will be MODI/ FINOLEX and color of the PVC pipe should be white
28			ANNEXURE-I : Price Schedule	2" Spiral flexible pipe"	required specirification	The Bidder should supply the material of any standard specification which is ISO certified and of good quality
29			ANNEXURE-I : Price Schedule	1" Spiral flexible pipe"	required specirification	The Bidder should supply the material of standard specification which is ISO certified and of good quality
30			ANNEXURE-I : Price Schedule	CASING CLIP PVC (Pack)	required specirification with size	The Bidder should supply the material of standard specification which is ISO certified and of good quality
31			ANNEXURE-I : Price Schedule	PVC Channel/Conduit / flexible pipe	required proper specification - No size mentioned here and also quantity is 33 km - Channel / Conduit/Flexible pipe 3 separate things. Kindly clarify which type of material on which quantity actual required	Dimension should be of 25mm suggested OEM will be MODI/ FINOLEX and color of the PVC pipe should be white
32			ANNEXURE-I : Price Schedule	PVC SWR Pipe(150 mm)	required specirification	The Bidder should supply the material of standard specification which is ISO certified and of good quality
33			ANNEXURE-I : Price Schedule	Cable Manager(19" 1U) with cover (1U)	Items 40 & 44 , both are same type of materials. If both are separate type of materials , please provide the specification	In item no 40 specific dimension is mentioned 19" 1U which is applicable for specfic rack but in item no 44 no specific dimension is mentioned so vendor should consider the dimension as per the compatibility with the rack both the item need to be considered in the RFP
34			ANNEXURE-I : Price Schedule	Cable Manager with Cover (1U) for n/w en.	Items 40 & 44 , both are same type of materials. If both are separate type of materials , please provide the specification	In item no 40 specific dimension is mentioned 19" 1U which is applicable for specfic rack but in item no 44 no specific dimension is mentioned so vendor should consider the dimension as per the compatibility with the rack both the item need to be considered in the RFP
35			Technical Pre-Qualification Requirements- Page No: 11	Bidder must submit a certificate on company letterhead, stating that the bidder hasn't been blacklisted by any institution/organization/ society/ company of the Central / StateGovernment ministry/department, or its public sector organizations during the last five years, with company stamp and signed by authorized signatory should also be submitted.	The existing blacklisting clause may unintentionally restrict participation from potential bidders who were previously blacklisted due to unjustified or arbitrary reasons, despite having the capability and qualifications to execute the project effectively. As per the Central Vigilance Commission (CVC) guidelines, it is clearly stated that: "The bidder should not be under a declaration of blacklisting at the time of submission of the bid." In view of the above, it is respectfully requested to revise the clause as follows: "The bidder shall not be under a declaration of blacklisting by any Government Department, Agency, Ministry, or Public Sector Undertaking (PSU) as on the date of bid submission." This change will ensure compliance with CVC guidelines while encouraging fair competition and inclusive participation without compromising on integrity or	It is manadatory documents . Self declarartion on Company's letter head has to be submitted for the same.