

CORRIGENDUM – 01

Tender no. TPCODL/P&S/FY 25-26 /1000002516

Tender for “Construction of Store Shed Work at Khordha & Banarpal”

Subject: Clause added in qualification criteria (Clause No - 1.7) of the tender document & Extend bid submission date.

The revised the tender specifications, as detailed below:

1. Revised Store Shed Size: The store shed at Banarpal Store is now specified at 2,745 square feet, reduced from the original 4,220 square feet.

2. Supply and Installation of Industrial Exhaust Fans: Four (4) industrial exhaust fans are required for each shed, complete with electrical wiring as per the instructions of the Engineer-in-Charge (EIC).

The specifications are as follows:

- Blade Diameter: 900 mm
- Rotational Speed: 620 RPM
- Airflow: 30,000 m³/h
- Noise Level: <70 dB
- Input Power: 750 W
- Rated Voltage: 415 V
- Pressure: 70 Pa
- Dimensions (H × W × T): 1,000 mm × 1,000 mm × 450 mm
- Warranty: 2 years on motor and circuit

3. Civil Foundation Requirements: Bidders are required to provide the civil foundation drawing and foundation bolts

4. Extend the bid submission date from 8 May 2025, 3:00 PM, to 16 May 2025, 3:00 PM,

All other terms and conditions of the original tender shall remain unaltered.

Dated: 30.04.2025

Yours faithfully,
-sd-
Chief – CCG & Engineering