

Corrigendum No – I

Tender Enquiry No: - TPCODL / P&S / FY 26-27/1000011013

Tender Subject – Purchase Order for Supply of Office Furniture.

1. Revisions has been made for below mentioned Annexure-II Technical Specification

1	Medium Back Chairs	Supplying, fixing and placing Medium Back chair having overall Height 960 to 1060mm, Seat Rest Dimensions -490 mm (W) X 505 mm (D). Back Rest Dimensions -450mm (W)X 500mm(H). The frame of back rest made up of injection moulded in PA +30 % GF and upholstered with mesh fabric make then assembled with outer frame. Back rest to be tested with 45 Kg, 120000 cycles @ 10-30 cycles / min. Seat should be made of HR Foam fitted on 12 mm ply with fabric upholstery and plastic cover and should have waterfall edge for ergonomic seating. Seatrest should be tested with 55 kg on seat, 120000 cycles @ 10-30 cycles / min, Base shall be Chrome/PVC Base, and Hydraulic shall be heavy duty, Three way mechanism. Seat Foam shall be PU with 40 density with castors as per approved design, Color and make including transportation at site etc. complete as directed by EIC. Mechanism -SMART CENTERTILT MECHANISM: Conventional mechanism with one lever control for lock and seat height adjustment. Mechanism made out of MS Plate thickness is 3mm and seat is tilting angle is 3°~10°. Also it has the back tension adjustment knob. It should be BIFMA Compliant and tested with 109 kg on seat for 3,00,000 Cycles. Armrest -FIXED INTEGRATED ARM : The arm rest made up of injection molded from black polypropylene. Arm rest size 300mm (L) x 50mm (W). armrest should be tested with 41 kg on each arm, 60000 cycles Gaslift - Gaslift should have minimum 100 mm stroke length and should be BIFMA Compliant and tested with 122kg on seat, for 60,000 cycles rotation @ 5-10 rotation / min. Base - Base should be Nylon and should be BIFMA compliant and tested for 1150 kg of load. Castors- Castors should be twin wheel castors having 60 mm dia. It should be BIFMA Compliant and tested with 102 kg on seat for 1,00,000 Cycles. Fabric - 100% Polyester. Fabric should be fire retardant and should have passed Cigarette Bud test. Foam - HR Foam and (** FEW Supporting Specs as per our offering**). Supplier should be BIFMA Certified.
---	--------------------	--

2	High Back Chair	Supply and installation of High Back chair having Dimension-Overall height - 1240 mm, overall width - 660 mm, Seat Height - 575 mm Back Height - 540 mm Seat Width - 500 mm. Headrest - 180 mm, Mid back Dimension- Overall height is 1080mm overall width - 660 mm Seat Height - 460 mm Back Height - 540 mm Seat Width - 500 mm, Head rest should be provided for high back. Head rest should be height adjustable. Back rest should be made up of mesh having 100% Polyester. Back rest should have adjustable lumbar support. Back rest to be tested with 45 Kg, 120000 cycles @ 10-30 cycles / min Seat should be made of HR Foam fitted on 12 mm ply with fabric upholstery and plastic cover and should have waterfall edge for ergonomic seating. Seat Depth adjustment should be provided. Seat rest should be tested with 55 kg on seat, 120000 cycles @ 10-30 cycles / min including all necessary tools and tackles to complete. Vendor to arrange for sample of any element if required by EIC. Work complete as directed by EIC. Mechanism - Mechanism should be synchrony with 1:3 ratio. It should have Synchro 1 point locking mechanism. The return force of the backrest is adjusted automatically by the users body weight. It should be BIFMA Compliant and tested with 109 kg on seat for 3, 00,000 Cycles. Armrest - Armrest should be adjustable. It should be BIFMA compliant. Armrest should be tested with 41 kg on each arm, 60000 cycles Gaslift - Gaslift should have minimum 100 mm stroke length and should be BIFMA Compliant and tested with 122kg on seat, for 60,000 cycles rotation @ 5-10 rotation / min. Base - Base should be Nylon base and should be BIFMA compliant and tested for 1450 kg of load. Castors- Castors should be twin wheel castors having 60 mm dia. It should be BIFMA Compliant and tested with 102 kg on seat for 1,00,000 Cycles. Fabric - 100% Polyester. Fabric should be fire retardant and should have passed Cigarette Bud test. Foam - HR Foam and (** FEW Supporting Specs as per our offering**). Supplier should be BIFMA Certified.
---	-----------------	--

3	Cabin Table (1.2 m)	Supplying, fixing and placing in position Rectangle table with raceways, vertibrae for wire management with top cover, provision for electric and data sockets and switches along with two switches and two sockets of Anchor/Havells/Roma equivalent. MS Powder Coated 50X50 legs with supported beams. The table shall comprise of 1200 L X 750 W X 750 HT work table in powder coated metal under structure in box section of 50x50x1.2mm of make TATA/Nizone/Apollo/Bhushan and powderedcoated perforated screen Modesty panel CRCA Panel Thickness shall be 0.80 MM thick of Sail/ Bhusan / Tata with 50 macron Powder coating colour of Asian / Berger, Worktop will be Prelam Wood Base Particle Board of marino, century, greenlam, signature of 25 mm thick pre-laminated with PVC edgeband.
4	Cabin Table (1.5 m)	Cabin Table - Supplying, fixing and placing in position Rectangle table with raceways, vertibrae for wire management with top cover, provision for electric and data sockets and switches along with two switches and two sockets of Anchor/Havells/Roma equivalent. The table shall comprise of 1500L x 750Wx 750HT work table in powder coated metal under structure in box section of 50x50x1.2mm of make TATA/Nizone/Apollo/Bhushan and powderedcoated perforated screen Modesty panel CRCA Panel Thickness shall be 0.80 MM thick of Sail/ Bhusan / Tata with 50 macron Powder coating colour of Asian / Berger, Worktop will be Prelam Wood Base Particle Board of marino, century, greenlam, signature of 25 mm thick pre-laminated with PVC edgeband.2. Access Flap and cable tray of approved make and shade. Vendor to arrange for sample of any element if required by architect. mentioned dimensions are out to out Shade as approved.
5	Credenza	Supplying, fixing and placing in position of 3'6"x 1'6"x2'5" side table with storage shelf and shutters, drawers in powder coated metal under structure in box section, side table top of 1" thick pre-laminated with laminate of marino, century, greenlam, signature. lock shall be Godrej / Ebco , Hinge shall be Ebco / Godrej
6	Storage Unit	SITC OF MID HEIGHT STORAGE @ 750LX450DX1200HT TOP: 18MM Thick PLPB with 2MM PVC edge band on all edges CARCASS (Body/ Shutter / Back) : 18MM thick PLPB with PVC edge band on all exposed edges. SHELF : One adjustable and One fixed shelf made of 18MM thick PLPB with PVC edge band on all edges. SHUTTERS : Lockable Swing shutters with C Handle / Flush Handle The product shall be complete as per specification under the guidance of Engineer in Charge.

7	Pedestal units	SITC of Pedestal unit @ 400LX450DX600HT of 18mm thick Prelaminated particle board table top with 2B+1F drawers, castor wheel for easy movement, PVC edge band on all edges, with laminate, Locks, Telescopic channel of approved make , complete as directed by EIC.
8	P&F Roller Blinds with pelmet	Providing and fixing of roller blind for window with pelmet in same fabric .roller blind to be adjusted by pulling chain, Providing all equipment, material, tools, tackles etc. for fixing blinds for windows of approved make and shade etc.
9	SS waiting chairs 03 seaters	Supplying, Providing & fixing approved Stainless Steel waiting chairs with 3 numbers seating of SS 304 Grade.
10	Sofa 3 Seater	Supply and fixing of 3 Seater sofa with leatherette seat, armrest & backrest assembly shall consists of a Pine understructure with plywood frame consisting layers of foam with wadding. The complete assembly shall be covered with Leatherette upholstery .The size of seat shall be: 55.0cm. (W) X 55.0cm. (D) X 22.0cm. (T) Approx. The size of back shall be: 55.0cm(W) X 35.0cm. (H) X 22.0cm. (T) Approx. Elastic Webbing is used to give a soft contour to the seat . It consists of a fabricated inner-frame hardboard assembly with layers of foam. The hardness of the P.U. foam= 16-20 Kgs. on Hampden m/c for 25% compression of the foam. The rectangular leg is made of wood and 4 tier packing is used to minimize damage & reduce wastage. Overall Dimensions of Chair shall be Seat Width - 54.5 cm, Height - 82 cm, Total width - 91 cm, Total length - 204 cm. Dimensions tolerance / variations shall be within +/- 1 cm.
11	Sofa 1 Seater	Supply and fixing of 1 Seater sofa with Leatherette seat , armrest & backrest assembly shall consists of a Pine understructure with plywood frame consisting layers of foam with wadding. The complete assembly shall be covered with Leatherette upholstery . The size of seat shall be: 55.0cm. (W) X 55.0cm. (D) X 22.0cm. (T) Approx. The size of back shall be: 55.0cm(W) X 35.0cm. (H) X 22.0cm. (T) Approx. Elastic Webbing is used to give a soft contour to the seat . It consists of a fabricated inner-frame hardboard assembly with layers of foam. The hardness of the P.U. foam= 16-20 Kgs. on Hampden m/c for 25% compression of the foam. The rectangular leg is made of wood and 4 tier packing is used to minimize damage & reduce wastage. Overall Dimensions of Chair shall be Seat Width - 54.5 cm, Height - 82 cm, Total width - 91 cm, Total length - 99 cm. Dimensions tolerance / variations shall be within +/- 1 cm.

12	Steel Almirah	Supply and assembly of steel almirah as per below specifications: Material : Steel , No. of Door Cabinets : 2 Doors , Door Type : Hinged , Type Of Steel : 22 gz CRCA Steel , Door With Mirror : No , Colour : Grey / Blue , Warranty : 3 Year from the date of installation , Installation Type : Free Standing , Dimensions (LWH) inch : 78*36*19 , No. Of Shelves : 4 Shelves , Surface Finish : Powder Coated , Usage/Application : Office , No. Of Doors : 2 Door
13	Nilkamal Fiber Chair	Supply of Nilkamal fiber chair with arms. Colour- Brown, Dimension- 570x607x900 mm, mid back, warranty of 01 year from the date of supply. The delivery shall be made at site as per the requirement on as & when basis
14	Dining Table - SDC	Supply and fixing of 4 Seater stainless steel (grade 304) dining table with fixed stools without armrest & backrest. The table size shall be 5 ft (L) x 4 ft (B) x 2.5 ft (HT). The delivery shall be made at Skill Development Centres at BBSR, Cuttack, Angul, Tirtol & Puri

1. Additional one make (Stellar Make) is added in the brand of Furniture.

2. Location details:- TPCODL Corporate office, BBSR-I, BBSR-II, Dhenkanal, Paradeep, Cuttack.

All other terms and conditions of the original tender shall remain unaltered.

Dated: 13.07.2026

Yours faithfully,
-sd-
Chief (TPCODL)